

 **ASI**[®] | ARCHITECTURAL
SYSTEMS, INC.
INTERIOR FINISHES | ESTABLISHED 1990

Health and Wellness:

Features and Benefits





Visit [archsystems.com](https://www.archsystems.com) for the full line of interior finishes, request samples and our digital product catalog; View a gallery of global projects and purchase in stock materials.

Contents

- Introduction to ASI | Architectural Systems, Inc.
- Emerging Strong
- New Features and Benefits for Health and Wellness
- Wood Panels
- Cork Tiles
- Glass and Metals
- Surfacing Materials
- Luxury Vinyls
- Porcelains
- Reference Guide
- Discover the ASI Advantage®



What We Are About



ASI | Architectural Systems, Inc. is a leading global resource for innovative, distinctive and sustainable interior finishes.

Foremost architects and designers, along with the broad base of decision makers across all market segments collaborate with ASI for their material expertise, project management from start to finish, material take-offs/on-site support, commitment to service, product solutions, custom capabilities and a robust range of finishes for **wall surfaces, flooring and more...**

ASI curates dimensional wood panels, high-performing hardwoods, luxury vinyl and porcelain plus natural stone and decorative surfacing material to provide the right aesthetics for your design vision and budget **with the added ease of finding it all in one place!**



Visit us in our new space where we welcome the opportunity to collaborate with you!

256 W 36th Street , 10th Floor, New York, NY 10001

archsystems.com



Emerging Strong

As we all collectively move forward into the new normal, feeling safe is a paramount concern for the A&D community. Designing spaces will require additional features and benefits built into solution-based products.

With this in mind, ASI has organized the following characteristics that are available across our material offering with a new header in our specifications for Health and Wellness, under Features & Benefits and an added filter on our website, Well-being, for ease of selection.

[archsystems.com](https://www.archsystems.com)



Health and Wellness

Look for our icons on each collection page
archsystems.com



Antivirus
Protection



Antimicrobial
Protection



Antimicrobial
Coating



Non-Porous
Properties



Low Carbon
Footprint





Withstand
Industrial
Cleaners



Cleanable
with Antiviral
Disinfectants

All interlocking collections that have a varnish finish will be produced with the antimicrobial coating going forward.



Wood Panels: Antimicrobial Coating



Pattern Play - Acoustical/Decorative Panels

Features & Benefits



No VOC Emissions



Sustainable



Class A Fire Rated



Glue Down



Interlocking



Antimicrobial Coating



Installation Photo

Featuring Pattern Play - Linear
Acoustical - WPVEP322
Decorative - WPVEP327



Wood Panels: Antimicrobial Coating cont.



SPECIFICATIONS



SIZE: Acoustical: WPVEP319 - WPVEP320: 11 ¾" X 47 ¾"; **WPVEP321:** 11 ¾" X 46 ¾"; **WPVEP322:** 23 ½" X 23 ½"; **WPVEP403:** 11 ¾" X 96"; **WPVEP404:** 15.56" X 45 ¼"; **Decorative: WPVEP324:** 17.14" x 45.15"; **WPVEP325:** 16.05" x 41.69"; **WPVEP326 and WPVEP338:** 24" x 24"; **WPVEP323:** 14" x 56"; **WPVEP327:** 23 ½" x 23 ½"; **WPVEP401:** 11 ¾" x 96"; **WPVEP402:** 15.56" x 45 ¼"

THICKNESS: Acoustical: WPVEP319 - WPVEP320: 52.3mm; **WPVEP321:** 52.1mm; **WPVEP322, WPVEP403 - WPVEP404:** 51.5mm;

Decorative (including backing): WPVEP323: 10.6mm; **WPVEP324 - WPVEP327 and WPVEP338:** 7mm; **WPVEP401 - WPVEP402:** 12mm

CONSTRUCTION: Acoustical: WPVEP319 - WPVEP320: 4 layers - Wood: 3.3mm - 4.8mm, Felt: 6.4mm, Honeycomb cardboard: 38.1mm, MDF: 3mm;

WPVEP321: 4 layers - Wood: 4.6mm, Felt: 6.4mm, Honeycomb cardboard: 38.1mm, MDF: 3mm; **WPVEP322, WPVEP403 and WPVEP404:** 4 layers -

Wood: 4mm, Felt: 6.4mm, Honeycomb cardboard: 38.1mm, MDF: 3mm; **Decorative: WPVEP323, WPVEP401 and WPVEP402:** 6mm Russian Birch;

WPVEP324 - WPVEP327 and WPVEP338: 3mm Fibrex

FINISH: 10% sheen UV Varnish

SPECIES: WPVEP319, WPVEP321 - WPVEP324, WPVEP326, WPVEP327, WPVEP401 - WPVEP404: White Oak veneer;

WPVEP320, WPVEP325 and WPVEP338: Walnut veneer

INSTALLATION: Acoustical: Glue and nail over plywood or drywall only; **Decorative:** Interlocking, Glue and Finishing Nails

HEALTH AND WELLNESS: Antimicrobial protective coating

- Corner moldings available
- Movable partitions - acoustical or decorative panels can be customized and fabricated to your specifications, contact sales@archsystems.com
- No VOC emissions
- Class A Fire Rated (**upon request**)
- When Fire Rated, the antimicrobial protective coating will not be put on
- **Acoustical:** Sound Absorbing, NRC = 0.66
- Can contribute to LEED®
- In stock products are subject to availability
- Please note that variations in color and texture may occur due to the nature of the material

Wood Panels: Antimicrobial Coating cont.



In this collection, future Interlock Eco-Panels will be produced with the antimicrobial protective coating. For immediate project needs, it can be requested.

Interlock Eco-Panels

SPECIFICATIONS:

UPDATED ↻

In Stock



SIZE: WPVEP082, WPVEP084, WPVEP088: 14" x 44"; WPVEP186, WPVEP287, WPVEP288: 14" x 57"

THICKNESS: WPVEP082, WPVEP084, WPVEP088: 8.5mm and 10mm; WPVEP186, WPVEP287, WPVEP288: 7mm and 10mm

BACKING: WPVEP082, WPVEP084, WPVEP088: 3.1mm Birch; WPVEP0186, WPVEP288, WPVEP287: 3.1mm Fibrex

FINISH: UV Varnish, 10% Low Sheen

SPECIES: Maple, Walnut and Knotty White Oak

INSTALLATION: Interlocking, Glue and Finishing Nails

PACKAGING: WPVEP082, WPVEP084, WPVEP088: 4.25 SF panel, 4 panels per box (17 SF per box); WPVEP186, WPVEP287, WPVEP288: 5.5 SF panel, 4 panels per box (22 SF per box)

HEALTH AND WELLNESS: Antimicrobial coating available **upon request**

- Corner Moldings and outlet frames available.
Contact sales@archsystems.com
- Lacey Act Compliant
- Low VOC emissions
- Class B Fire Rated
- Can contribute to LEED®
- In Stock products are subject to availability
- Please note that variation in color and texture may occur due to the nature of the material

Features & Benefits



Low VOC Emissions



Sustainable




Glue Down



Interlocking



Antimicrobial Coating



XpresSpa, Delta Terminals, Multiple Locations

In-House Design

Featuring Interlock Eco-Panels - WPVEP082



archsystems.com

Wood Panels: Antimicrobial Coating cont.



There is one pattern in this collection that has a varnish finish, and an antimicrobial coating can be request for current and upcoming projects.

Interwoven Eco-Panels

SPECIFICATIONS:



SIZE: WPVEP017, WPVEP066, WPVEP047, WPVEP046: 13.5" x 53.5"; WPVEP042-44: 12" x 60"

THICKNESS: 8.5mm and 10mm including backing

BACKING: 3.1mm Birch

FINISH: WPVEP017: UV Varnish, 10% Low Sheen; WPVEP042-WPVEP066: 100% Natural Danish Oil

SPECIES: WPVEP017: Walnut; WPVEP046: Maple; WPVEP047: Red Oak; WPVEP042-044: Mixed Species; WPVEP066: White Oak

INSTALLATION: Interlocking, Glue and Finishing Nails

PACKAGING: WPVEP017, WPVEP066, WPVEP047, WPVEP046: 5 SF per panel, 6 panels per box (30 SF per box); WPVEP042-WPVEP044: 5 SF per panel, 5 panels per box (25 SF per box)

HEALTH AND WELLNESS: Antimicrobial coating available **upon request** for WPVEP-17 only

- Corner Moldings and outlet frames available.
Contact sales@archsystems.com
- Lacey Act Compliant
- No VOC emissions
- Can contribute to LEED®
- In Stock products are subject to availability
- Please note that variation in color and texture may occur due to the nature of the material

Features & Benefits



No VOC Emissions



Sustainable



Glue Down



Interlocking



Antimicrobial Coating



Rinka Hawaii, Honolulu, HI

YDNY

Featuring Interwoven Eco-Panels
WPVEP017 and WPVEP066



archsystems.com



Installation Photo

Featuring Composition Cork -
Apex - Cinza Escuro - WPCRK005

Cork Tiles: Antimicrobial Protection



For all five collections in the Composition Cork series, there is a natural bacterial resistance inherent in this material.

Composition Cork - Apex

SPECIFICATIONS:   

SIZE: 11.81" x 23.62" (300mm x 600mm)

THICKNESS: 0.39" (10MM)

FINISH: Factory Sealed

INSTALLATION: Adhere to surface with construction adhesive

CONSTRUCTION: Natural 100% renewable cork bark with natural color pigments and beveled edges

PACKAGING: 30 pieces per box - 58.13 SF

HEALTH AND WELLNESS: The inherent properties in cork provide a naturally bacterial resistance

- Low VOC emissions
- Sound Absorbing, NRC = 0.15
- Can contribute to LEED®
- Please note that variations in color and texture may occur due to the nature of the material

Features & Benefits



Sound Absorbing




Low VOC Emissions



Sustainable



Antimicrobial Protection



Installation Photo

Featuring Composition Cork -
Apex - Marfim - WPCRK002



archsystems.com

Cork Tiles: Antimicrobial Protection cont.



Composition Cork - Bark

SPECIFICATIONS:

SIZE: 11.81" x 23.62" (300mm x 600mm), 23.62" x 35.43" (600mm x 900mm)

THICKNESS: 1" nominal (25mm)

FINISH: Factory Sealed

INSTALLATION: Adhere to surface with construction adhesive or mechanically fastened

CONSTRUCTION: Natural 100% rapidly renewable cork bark pre-cleaned and treated

PACKAGING: 11.81" x 23.62": 10 pieces per box - 19.38 SF; 23.62" x 35.43": 10 pieces per box - 58.13 SF

HEALTH AND WELLNESS: The inherent properties in cork provide a naturally bacterial resistance

- Low VOC emissions
- Sound Absorbing, NRC = 0.15
- Can contribute to LEED®
- Please note that variations in color and texture may occur due to the nature of the material

Features & Benefits



Sound Absorbing



Low VOC Emissions



Sustainable



Antimicrobial Protection



Installation Photo

Featuring Composition Cork - Bark - Sapling - WPCRK008



[archsystems.com](https://www.archsystems.com)

Cork Tiles: Antimicrobial Protection cont.



Composition Cork - Metallic Stone

SPECIFICATIONS:



SIZE: 3.93" x 15.74" and 7.87" x 15.74"

THICKNESS: 0.27" - 0.55" (7mm to 14mm)

FINISH: Factory Sealed

INSTALLATION: Adhere to surface with construction adhesive

CONSTRUCTION: Natural 100% rapidly renewable cork bark with metallic pigments

PACKAGING: Mixed box with both sizes

HEALTH AND WELLNESS: The inherent properties in cork provide a naturally bacterial resistance

- Low VOC emissions
- Class B Fire Rated
- Can contribute to LEED®
- Please note that variations in color and texture may occur due to the nature of the material

Features & Benefits




Low VOC Emissions



Sustainable



Antimicrobial Protection



Installation Photo

Featuring Composition Cork -
Metallic Stone - Green - WPCRK011



archsystems.com

Cork Tiles: Antimicrobial Protection cont.



Composition Cork - Sheets

SPECIFICATIONS:



SIZE: 23.62" x 35.43"

THICKNESS: .23" (6mm)

FINISH: Factory Sealed

INSTALLATION: Adhere to surface with construction adhesive

CONSTRUCTION: WPCRK016-WPCRK018: Natural 100% renewable cork bark;

WPCRK026-WPCRK028: Natural 100% renewable cork bark - in combination with post-industrial consumer EVA foam

PACKAGING: 10 pieces per box - 244.13 SF

HEALTH AND WELLNESS: The inherent properties in cork provide a naturally bacterial resistance

- Low VOC emissions
- Sound Absorbing, NRC = 0.15
- Can contribute to LEED®
- Please note that variations in color and texture may occur due to the nature of the material

Features & Benefits



Sound Absorbing



Low VOC Emissions



Sustainable



Antimicrobial Protection



Installation Photo

Featuring Composition Cork - Sheets -
Bande - WPCRK016; Madrée - WPCRK017



archsystems.com

Cork Tiles: Antimicrobial Protection cont.



Composition Cork - Tiles

SPECIFICATIONS:



SIZE: 11.81" x 23.62"

THICKNESS: 0.197" (5mm)

FINISH: Factory Sealed


INSTALLATION: Adhere to surface with construction adhesive

CONSTRUCTION: Natural 100% renewable cork bark veneer with color pigments

PACKAGING: 60 pieces per box - 116.25 SF

HEALTH AND WELLNESS: The inherent properties in cork provide a naturally bacterial resistance

- Low VOC emissions
- Sound Absorbing, NRC = 0.15
- Can contribute to LEED®
- Please note that variations in color and texture may occur due to the nature of the material



Installation Photo

Featuring Composition Cork –
Tiles – Viridis – WPCRK022

Features & Benefits



Sound Absorbing



Low VOC Emissions



Sustainable



Antimicrobial Protection

archsystems.com





Sophie's at Saks Fifth Avenue, Chicago, IL
Andre Kikoski Architect
Featuring Techno® Recycled Glass – SPHSN005

Glass: Non-Porous Properties and Withstand Industrial Cleaner



In our glass category as non-porous products they have superior cleanability benefits.

Techno[®] Recycled Glass

SPECIFICATIONS:     

SIZE: 55" x 118"


THICKNESS: 20mm

FINISH: Polished

APPLICATIONS: Interior and Exterior

HEALTH AND WELLNESS: Non Porous - able to clean with industrial grade products

- Class A Fire Rated
- Water and Stain Resistant
- Can contribute to LEED[®]
- Please note that variations in color and texture may occur due to the nature of the material



Arizona Biltmore, Phoenix, AZ
SFA Design - Santa Barbara
Featuring Techno[®] Recycled Glass - SPHSN053

Features & Benefits



Water Repellent



Stain Resistant



Sustainable



Class A Fire Rated



Non-Porous Properties



Withstand Industrial Cleaners

archsystems.com



Metals: Antimicrobial Protection



In the metal collections, there is a natural bacterial resistance inherent in this material.

Metal Fusión Panels

SPECIFICATIONS:

SIZE: 47 ¼" x 94 ½" nominal; **WPFSN052:** 53 ⅛" x 98"; Custom sizes available

THICKNESS: **WPFSN172** and **WPFSN218:** 22.23mm (7/8"); **WPFSN216:** 19.05mm - 25.4mm (¾" - 1"); **WPFSN052** and **WPFSN217:** 15.88mm - 25.4mm (5/8" - 1");

WPFSN215: 15.88mm - 22.23mm (5/8" - 7/8") including backing

CONSTRUCTION: ½ MDF core

METAL VENEERS: Brass, Copper, Zinc

FINISH: Oxidized real metal; **WPFSN052:** Metal varnish

APPLICATION: Walls, Architectural Millwork, or Furniture and Fixture Components

INSTALLATION: Z-Clip


HEALTH AND WELLNESS: The inherent properties in metal provide a naturally bacterial resistance

- Contact sales@archsystems.com for all custom options
- Please note that variations in color and texture may occur due to the nature of the material

Features & Benefits



Antimicrobial Protection



**Dealertrak Technologies Headquarters,
North Hills, NY**

ID Unique Solutions
Featuring Metal Fusión Panels -
WPFSN052



archsystems.com

Metals: Antimicrobial Protection cont.



Tin Ceilings and Walls

SPECIFICATIONS:     

SIZE: 2' x 2' standard; also available in 2' x 4'; Cornices available, see web page for complete offering

FINISH: Lacquered Steel, Chrome, Copper, Brass, and Pre-Painted White

INSTALLATION: Lay-in standard; 2' x 4' only: Nail-up; as are cornice moldings

HEALTH AND WELLNESS: The inherent properties in metal provide a naturally bacterial resistance

- Perforated plates available for enhanced acoustical value; Contact sales@archsystems.com
- Made in the USA
- Can contribute to LEED®
- Custom finishes available
- In Stock products are subject to availability
- Please note that variations in color and texture may occur due to the nature of the material



Features & Benefits



Fire Retardant



Made in the USA



Sustainable



Nail Down



Antimicrobial Protection



Barcelo Santo Domingo, Santo Domingo, DR

Brava Casa

Featuring Tin Ceilings and Walls –

SPSHK111Additional ASI Materials –

Sculptured Collection –

WPMA5003



archsystems.com

Metals: Antimicrobial Protection cont.



Iconic Metals - Bamboo

SPECIFICATIONS:



SIZE: 6" x 24" rectified edges

THICKNESS: Small: 7mm; **Large:** 13mm

METAL TYPE: Brass, Copper, and Tin


FINISH: Clear PU coating

APPLICATION: Interior, Dry, Vertical Surfaces, Walls, Architectural Millwork, Doors, Fixtures

INSTALLATION: Self-Adhering two-sided pressure sensitive PSA with high-strength PU-based adhesive, pre-adhered to back of panels

HEALTH AND WELLNESS: The inherent properties in metal provide a naturally bacterial resistance

- Class A Fire Rated
- Please note that variations in color and texture may occur due to the nature of the material



Installation Photo

Featuring Iconic Metals - Bamboo -
Copper - DSICM003

Features & Benefits



Class A Fire Rated



Antimicrobial Protection



archsystems.com

Metals: Antimicrobial Protection cont.



Iconic Metals - Hexagon

SPECIFICATIONS:



SIZE: Flat: 6" x 6"; **Cushion:** 3" x 3"

THICKNESS: Flat: 4mm; **Cushion:** 11mm

METAL TYPE: Brass, Copper, Tin and Aluminum Alloy

FINISH: Clear PU coating

APPLICATION: Interior, Dry, Vertical Surfaces, Walls, Architectural Millwork, Doors, Fixtures

INSTALLATION: Self-Adhering two-sided pressure sensitive PSA with high-strength PU-based adhesive, pre-adhered to back of panels

HEALTH AND WELLNESS: The inherent properties in metal provide a naturally bacterial resistance

- Class A Fire Rated
- Please note that variations in color and texture may occur due to the nature of the material



Installation Photo

Featuring Iconic Metals -
Hexagon - Tin - DSICM012

Features & Benefits



Class A Fire Rated



Antimicrobial Protection

archsystems.com



Metals: Antimicrobial Protection cont.

Iconic Metals - Panel

SPECIFICATIONS:



SIZE: 6" x 24"

THICKNESS: 2mm

METAL TYPE: Brass, Tin, and Aluminum Alloy

FINISH: Clear PU coating

APPLICATION: Interior, Dry, Vertical Surfaces, Walls, Architectural Millwork, Doors, Fixtures

INSTALLATION: Self-Adhering two-sided pressure sensitive PSA with high-strength PU-based adhesive, pre-adhered to back of panels

HEALTH AND WELLNESS: The inherent properties in metal provide a naturally bacterial resistance

- Class A Fire Rated
- Please note that variations in color and texture may occur due to the nature of the material

Features & Benefits



Class A Fire Rated



Antimicrobial Protection



Installation Photo

Featuring Iconic Metals -
Panel - Copper - DSICM013



Metals: Antimicrobial Protection cont.

Iconic Metals - Tile

SPECIFICATIONS:



SIZE: 8" x 8" or 12" x 12"

THICKNESS: 4mm

CONSTRUCTION: Metal formed over WPC core

METAL TYPE: Brass, Copper, Tin and Aluminum Alloy

FINISH: Clear PU coating

APPLICATION: Interior, Dry, Vertical Surfaces, Walls, Architectural Millwork, Doors, Fixtures

INSTALLATION: Self-Adhering two-sided pressure sensitive PSA with high-strength PU-based adhesive, pre-adhered to back of panels

HEALTH AND WELLNESS: The inherent properties in metal provide a naturally bacterial resistance

- Class A Fire Rated
- Please note that variations in color and texture may occur due to the nature of the material

Features & Benefits



Class A Fire Rated



Antimicrobial Protection



Installation Photo

Featuring Iconic Metals -
Tile - Tin - DSICM018



Surfacing Materials: Cleanable with Antiviral Disinfectants cont.



QUARTO® Stacked Stone

SPECIFICATIONS:



SIZE: 6" x 24" nominal

THICKNESS: Quartzite: 2mm-5mm; Slate: 1.5mm-2mm; Black Quartzite: 5mm-7mm;

Marble: 3mm

FINISH: Natural stone (stone sealer required)

BACKING: Self-adhesive

INSTALLATION: Peel and Stick

APPLICATION: Interior only

HEALTH AND WELLNESS: Cleanable with antiviral disinfectants and industrial grade products

- Class A Fire Rated
- Can contribute to LEED®
- Low Carbon Footprint
- No VOC emissions
- Please note that variations in color and texture may occur due to the nature of the material

Features & Benefits



Sustainable



Class A Fire Rated



No VOC Emissions




Low Carbon
Footprint



Cleanable with
Antiviral Disinfectants



Withstand Industrial Cleaners



Installation Photo

Featuring QUARTO® Stacked Stone –
Marble with veining – DSICM035

archsystems.com



Surfacing Materials: Cleanable with Antiviral Disinfectants cont.



QUARTO® Stone Sheets

SPECIFICATIONS:



SIZE: 12" x 24", 24" x 48", 48" x 96"

THICKNESS: Quartzite: 2mm-5mm; **Slate:** 1.5mm-2mm; **Black Quartzite:** 5mm-7mm;

Marble: 3mm

FINISH: Natural stone (stone sealer required)

BACKING: Dry back

INSTALLATION: Thin set

APPLICATION: Interior and Exterior

HEALTH AND WELLNESS: Cleanable with antiviral disinfectants and Industrial grade products

- Class A Fire Rated
- Can contribute to LEED®
- Low Carbon Footprint
- No VOC emissions
- Please note that variations in color and texture may occur due to the nature of the material

Features & Benefits



Sustainable



Class A Fire Rated



No VOC Emissions




Low Carbon Footprint



Cleanable with Antiviral Disinfectants



Withstand Industrial Cleaners



Installation Photo

Featuring QUARTO® Stone Sheets – DSICM047 and DSICM045

archsystems.com





Installation Photo

Featuring Structura® Ceiling Tiles
Acoustical/Perforated - Gloss White
SPATP017

Surfacing Materials: Cleanable with Antiviral Disinfectants



In the **Structura®** groupings, all surfaces are cleanable with antiviral disinfectants to ensure surfaces are safe.

Structura® Ceiling Tiles

SPECIFICATIONS:



SIZE: 2' x 2' or 2' x 4'

THICKNESS: Lay in/Glue up: .013" or .030" gauge available for all patterns;

Acoustical/Perforated: .030" gauge only

FINISH*: Gloss: all patterns available in Paintable White; **Semi-Gloss:** for Colors only;

Matte: Color Matte White only; **Matte and Gloss for Acoustical/Perforated:** White or Black only

INSTALLATION: 2' X 2': For Lay in or Glue up; **2' x 4':** Glue up only; **2' x 2':** Lay in only for

Acoustical/Perforated

CONSTRUCTION: PVC

HEALTH AND WELLNESS: Cleanable with antiviral disinfectants

- High Impact and Abrasion Resistant
- Made in the USA
- Class A Fire Rated
- ISO Certified
- Sound Absorbing: NRC = .045 for **Acoustical/Perforated only**
- Can contribute to LEED®
- Please note that variations in color and texture may occur due to the nature of the material

Features & Benefits



Sound Absorbing



Sustainable




Made in the USA



Class A Fire Rated



Cleanable with Antiviral Disinfectants



Installation Photo

Featuring Structura® Ceiling Tiles
Bronze Dust - SPATM046



archsystems.com

Surfacing Materials: Cleanable with Antiviral Disinfectants cont.



Structura® Eco-Panels

SPECIFICATIONS:



SIZE: 4' x 8'; **DSATM323:** 4' x 10'

THICKNESS: .03" - .04" nominal

FINISH: Paintable

BACKING: Self supporting rigid panels

INSTALLATION: Trowel on latex adhesives; Built In Overlap

APPLICATION: Walls, Architectural Millwork

HEALTH AND WELLNESS: Cleanable with antiviral disinfectants

- Scratch and Stain Resistant
- Made in the USA
- Class A Fire Rated **upon request**
- Made from 40% post-consumer recycled content
- ISO Certified
- Phthalate - Free
- Can contribute to LEED®
- In Stock products are subject to availability
- Please note that variations in color and texture may occur due to the nature of the material

Features & Benefits



Scratch-Resistant



Paintable



Made in the USA




Sustainable



Class A Fire Rated



Cleanable with
Antiviral Disinfectants



**Marriott at Fort Lauderdale North,
Fort Lauderdale, FL**

dash design

Featuring Structura® Eco-Panels –
DSATM210

archsystems.com



Surfacing Materials: Cleanable with Antiviral Disinfectants cont.



Structura® Eco-Panels - Colors

SPECIFICATIONS:



SIZE: 4' x 8'; **DSATM323:** 4' x 10'

FINISH: TuffCote™

BACKING: Self supporting rigid panels

INSTALLATION: Trowel on latex adhesives; Built In Overlap

COLORS: Contact sales@archsystems.com for custom or additional color options

APPLICATION: Walls, Architectural Millwork

HEALTH AND WELLNESS: Cleanable with antiviral disinfectants

- Scratch and Stain Resistant
- Made in the USA
- Class A Fire Rated **upon request**
- Made from 40% post-consumer recycled content
- ISO Certified
- Phthalate - Free
- Can contribute to LEED®
- In Stock products are subject to availability
- Please note that variations in color and texture may occur due to the nature of the material

Features & Benefits



Scratch-Resistant



Paintable



Made in the USA



Sustainable



Class A Fire Rated



Cleanable with
Antiviral Disinfectants



Installation Photo

Featuring Structura® Eco-Panels –
Coffee – DSATM359



archsystems.com

Surfacing Materials: Cleanable with Antiviral Disinfectants cont.



Structura® Door Skins

SPECIFICATIONS:

NEW

In Stock



MADE IN THE USA

SCRATCH
RESISTANT




SIZE: 48" x 84" standard size

THICKNESS: 12 mil

BACKING: Dry Back or Self-Adhesive

HEALTH AND WELLNESS: Cleanable with antiviral disinfectants

- Class A Fire Rated (when Installed with Fire Rated Adhesive on Fire Rated Doors for Dry Back sheets only)
- Made in the USA
- Scratch Resistant
- High Impact Finish
- Chemical Resistant
- In Stock products are subject to availability
- Please note that variations in color and texture may occur due to the nature of the material



Installation Photo

Featuring Structura® Door Skins - DSATM702

Features & Benefits



Scratch-Resistant



Made in the USA



Class A Fire Rated



Cleanable with
Antiviral Disinfectants

archsystems.com



Surfacing Materials: Antibacterial and Non-Porous



The core of this product has been treated with a propriety additive, inhibiting bacteria.

Designer Laminates Collection Antibacterial

SPECIFICATIONS:



In Stock



SIZE: 48" x 96" standard

THICKNESS: 1mm

OPTIONS: Solid Colors, Woodgrains, Textured

FINISH: Matte

APPLICATION: Vertical and Horizontal

HEALTH AND WELLNESS: Antibacterial and non-porous surface

- Scratch and Stain Resistant
- GREENGUARD Gold Certification
- Can contribute to LEED®
- In Stock products are subject to availability
- Please note that variations in color and texture may occur due to the nature of the material

Features & Benefits



Scratch-Resistant



Anti-Bacterial



Sustainable



Non-Porous Properties



Installation Photo

Featuring Designer Laminates Collection Antibacterial
- Solid Colors - DSKE476



archsystems.com



Vivo Barefoot, New York, NY
Tana Graves Interior Design
Featuring ASI Concrete Vinyl Collection - FLRGB008

Luxury Vinyls: Antimicrobial Coating



A robust collection of luxury vinyls are finished with a G88 ceramic bead coating that creates an antibacterial and anti-fungal surface.

ASI Concrete Vinyl Collection

SPECIFICATIONS:



SIZE: 12" x 24"

THICKNESS: 5 mil (3/16" nominal) with 20 mil commercial wear layer

FINISH: G88 ceramic bead coating – **Anti-Bacterial** and **Anti-Fungal**

INSTALLATION: Glue-Down or Floating - Gravity Grip™ non-skid backing

CONSTRUCTION: Sound Absorbing, Non-slip and Stabilizing core layers

HEALTH AND WELLNESS: Antimicrobial coating

- Tiles are produced with square edge
- COF = Average .66
- Meets ASTM F-1700-04, Class III, Type B for Flammability – Embossed Surface
- 20 SF per carton
- 10-year limited warranty
- FloorScore® Certified for Indoor Air Quality
- 75% recycled content
- Can contribute to LEED®
- In Stock products are subject to availability
- Please note that variations in color and texture may occur due to the nature of the material

Features & Benefits



Sound Absorbing



Low VOC Emissions



Water Repellent



Anti-Fungal



Anti-Bacterial



Skid Resistant



Sustainable



Floating



Antimicrobial Coating

archsystems.com



The Vitamin Shoppe®, New Jersey

In-House Design

Featuring ASI Concrete Vinyl Collection – FLRGB074

and Eco-Tech® Resilient Floor – FLRGB004



Luxury Vinyls: Antimicrobial Coating cont.



Eco-Acoustico Resilient Flooring

SPECIFICATIONS:



SIZE: 7" x 47.25" nominal

THICKNESS: 5 mm, including 1 mm soundproof layer; 20 mil wear layer

FINISH: G88: **Anti-Bacterial** and **Anti-Fungal**

INSTALLATION: Floating or Glue-Down

CONSTRUCTION: 7-Layer: Embossed Wear Layer, Silencing and Soundproof Layer, Solid Fiberglass, Recycled Core, and Balancing Sheet; No separate underlayment required

HEALTH AND WELLNESS: Antimicrobial coating

- 15 Year Commercial Warranty
- 100% Recycled Content
- FloorScore® Certified for Indoor Air Quality
- Waterproof
- Acoustical Rating of 55 IIC over 6" concrete slab; Meets and exceeds passing requirements for Radiant Panel, Smoke Density, Dynamic and James Machine COF
- Can contribute to LEED®
- In Stock products are subject to availability
- Please note that variations in color and texture may occur due to the nature of the material

Features & Benefits



Installation Photo

Featuring Eco-Acoustico Resilient Flooring – FLRGB249



archsystems.com



Luxury Vinyls: Antimicrobial Coating cont.



Eco-Tech® Resilient Flooring

SPECIFICATIONS:



SIZE: 7" x 47.25" nominal

THICKNESS: 5 mil (3/16" nominal) with 20 mil commercial wear layer

FINISH: G88 Ceramic bead coating; **Anti-Bacterial** and **Anti-Fungal**

INSTALLATION: Glue-Down or Floating - Gravity Grip™ non-skid backing

CONSTRUCTION: Sound Absorbing, Non-slip, and Stabilizing core layers

HEALTH AND WELLNESS: Antimicrobial coating

- COF = Average .66
- Meets ASTM F-1700-04, Class III, Type B for Flammability-Embossed Surface
- 23.25 SF per box
- 10-year limited warranty
- 75% recycled content
- FloorScore® Certified for Indoor Air Quality
- Can contribute to LEED®
- In Stock products are subject to availability
- Please note that variations in color and texture may occur due to the nature of the material



Kellogg Conference Hotel, Washington, DC
Rachel Arnold & Associates
Featuring Eco-Tech® Resilient Floor - FLRGB015

Features & Benefits



Sound Absorbing



Low VOC Emissions



Water Repellent



Anti-Fungal



Commercial Ceramic Finish



Anti-Bacterial



Skid Resistant



Sustainable



Floating



Glue Down



Antimicrobial Coating

archsystems.com



Luxury Vinyls: Antimicrobial Coating cont.



Laguna Luxury Vinyl

SPECIFICATIONS:



In Stock



SIZE: 7" x 47"; 12" x 24"

THICKNESS: 5mm with a 20mil wear layer

FINISH: G88 Ceramic Infused Coating - **Anti-Bacterial** and **Anti-Fungal**

INSTALLATION: Floating

CONSTRUCTION: Non-skid Backing, Sound-Absorbing, Water-Resistant

HEALTH AND WELLNESS: Antimicrobial coating

- COF = Average .66
- FloorScore® Certified for Indoor Air Quality
- 10-year commercial limited warranty
- Can contribute to LEED®
- In Stock products are subject to availability
- Please note that variations in color and texture may occur due to the nature of the material

Features & Benefits



Sound Absorbing



Low VOC emissions



Water Repellent



Anti-Fungal



Anti-Bacterial



Skid Resistant



Sustainable



Floating



Antimicrobial Coating



Installation Photo

Featuring Laguna Luxury Vinyl – FLRGB081

archsystems.com



Luxury Vinyls: Antimicrobial Coating cont.



Woven Vinyl

SPECIFICATIONS:



SIZE: 19.68" x 39.37" nominal

THICKNESS: 5mm (3/16" nominal) with a 12mil wear layer

FINISH: G88 Advanced Coating System – **Anti-Bacterial** and **Anti-Fungal** with Nano-Ceramic Coating

INSTALLATION: Floating non-skid backing

CONSTRUCTION: Sound absorbing, non-skid backing with high grade fiberglass sheet

HEALTH AND WELLNESS: Antimicrobial coating

- COF = Average .66
- 27 SF per carton
- 10-year limited warranty
- FloorScore® Certified for Indoor Air Quality
- See collection web page for ASTM testing results
- Can contribute to LEED®
- In Stock products are subject to availability
- Please note that variations in color and texture may occur due to the nature of the material

Features & Benefits



Sound
Absorbing



Water
Repellent



Anti-Fungal



Commercial
Ceramic Finish



Anti-Bacterial



Skid
Resistant




Sustainable



Floating




Antimicrobial
Coating



Truth + Beauty Salon, Roslyn Heights, NY
LSID, Inc.
Featuring Woven Vinyl – FLRGB136



archsystems.com



Madison Reed, Multiple Locations

In-House Design

Featuring Terrassa Porcelain - Silver Coat - FLSRB361

View collection web page for additional project images

Porcelains: Antimicrobial Coating



Many of our porcelain collections have the option of applying a proprietary antimicrobial and anti-pollution coating with just a 5,000 sq.ft minimum.

Aegean Travertine Porcelain

SPECIFICATIONS:       

SIZE: 12" x 24", 8" x 48" for Mottled Platinum and Mottled Beige only, 24" x 48" nominal

THICKNESS: 3/8" nominal

FINISH: Matte

APPLICATION: Floors and Walls; Interior or Exterior

HEALTH AND WELLNESS: Proprietary antimicrobial and anti-pollution coating is available with a 5000 sq.ft. minimum, Non Porous - able to clean with industrial grade products

- GREENGUARD Gold Certification
- Made in the USA
- Can contribute to LEED®
- In Stock products are subject to availability
- Please note that variations in color and texture may occur due to the nature of the material

Features & Benefits



Made in the USA



Sustainable



Antimicrobial Coating



Withstand Industrial Cleaners



Non-porous Properties



Gabriel Kreuther, New York, NY

Glen and Company

Featuring Aegean Travertine Porcelain – FLSRI636

archsystems.com



Porcelains: Antimicrobial Coating cont.



AmeriCarrara Porcelain

SPECIFICATIONS:



In Stock



SIZE: 4" x 12", 12" x 24", 2" x 48"; **Spec ID#'s are listed for 12" x 24";** **Mosaics:** 2" x 2", 2" x 4", 2" x 2" Hexagon on 12" x 12" Mesh Mounted Sheet; Mosaic w/ Wood Grains on 10" x 12" Mesh Mounted Sheet

THICKNESS: 3/8" nominal

FINISH: Tiles: Honed or Polished; **Mosaics:** Bone in Honed only

APPLICATION: Floors and Walls; Interior or Exterior

HEALTH AND WELLNESS: Proprietary antimicrobial and anti-pollution coating is available with a 5000 sq.ft. minimum, Non Porous - able to clean with industrial grade products

- Trim Pieces Available
- Made in the USA
- GREENGUARD Gold Certification
- Can contribute to LEED®
- In Stock products are subject to availability
- Please note that variations in color and texture may occur due to the nature of the material

Features & Benefits



Made in the USA



Sustainable



Antimicrobial Coating



Withstand Industrial Cleaners



Non-Porous Properties



Treehaus, New York, NY

Unspace

Featuring AmeriCarrara Porcelain – FLSRI951



archsystems.com

Porcelains: Antimicrobial Coating cont.



Andaz Porcelain

SPECIFICATIONS:



In Stock



SIZE: 24" x 24", 12" x 24", 12" x 12", 6" x 24" nominal; **Spec ID#'s are listed for 12" x 24";**

Mosaics: 1" x 1"; 1" x 2"; 1" x 12"; 3" x 3"; 3" x 6" on 12" x 12" Mesh Mounted Sheet

THICKNESS: 3/8" nominal

FINISH: Honed, Polished

APPLICATION: Floors and Walls; Interior and Exterior

HEALTH AND WELLNESS: Proprietary antimicrobial and anti-pollution coating is available with a 5000 sq.ft. minimum, Non Porous - able to clean with industrial grade products

- Trim Pieces Available
- Made in the USA
- GREENGUARD Gold Certification
- Can contribute to LEED®
- In Stock products are subject to availability
- Please note that variations in color and texture may occur due to the nature of the material

Features & Benefits



Made in the USA



Sustainable



Antimicrobial Coating



Withstand Industrial Cleaners



Non-Porous Properties



Comix, New York, NY

Studio Red

Featuring Andaz Porcelain – FLSRI206

archsystems.com



Porcelains: Antimicrobial Coating cont.



Crescent Porcelain

SPECIFICATIONS:



In Stock



SIZE: 12" x 24" ; 18" x 36"; **Spec ID#'s are listed for 12" x 24"**; **Mosaics:** 1" x 2" or 2" x 2"
on 12" x 12" Mesh Mounted Sheet

THICKNESS: 3/8" nominal

FINISH: Honed, Lappato

APPLICATION: Floors and Walls; Interior and Exterior

HEALTH AND WELLNESS: Proprietary antimicrobial and anti-pollution coating is available with a 5000 sq.ft. minimum, Non Porous - able to clean with industrial grade products

- Trim Pieces Available
- Made in the USA
- GREENGUARD Gold Certification
- Can contribute to LEED®
- In Stock products are subject to availability
- Please note that variations in color and texture may occur due to the nature of the material

Features & Benefits



Made in the USA



Sustainable



Antimicrobial Coating



Withstand Industrial Cleaners



Non-Porous Properties



Installation Photo

Featuring Crescent Porcelain –
Lunar – Lappato – FLSRB047



archsystems.com

Porcelains: Antimicrobial Coating cont.



Ecolinea Porcelain

SPECIFICATIONS:



SIZE: 12" x 24"; 18" x 36" nominal **for Gray, Khaki, Ivory, and Greige only; 6" x 36" Khaki only;**

Mosaics: 2" x 2" on 12" x 12" Mesh Mounted Sheet

THICKNESS: 3/8" nominal

FINISH: Honed, Semi-Polished for 18" x 36" nominal **Gray, Khaki, Ivory, and Greige only**

APPLICATION: Floors and Wall; Interior and Exterior

HEALTH AND WELLNESS: Proprietary antimicrobial and anti-pollution coating is available with a 5000 sq.ft. minimum. Non Porous - able to clean with industrial grade products.

- Trim Pieces Available
- GREENGUARD Gold Certification
- Made in the USA
- Can contribute to LEED®
- In Stock products are subject to availability
- Please note that variations in color and texture may occur due to the nature of the material

Features & Benefits



Made in the USA



Sustainable



Antimicrobial Coating



Withstand Industrial Cleaners



Non-Porous Properties



Installation Photo

Featuring Ecolinea Porcelain – FLSRI743



[archsystems.com](https://www.archsystems.com)

Porcelains: Antimicrobial Coating cont.



FORM Concrete Porcelain

SPECIFICATIONS:



SIZE: 6" x 36" for Grey and Frost only, 18" x 36", 12" x 24" nominal; **Spec ID#'s are listed for 18" x 36"; Mosaics:** 1" x 2" or 2" x 2" on 12" x 12" Mesh Mounted Sheet

THICKNESS: 3/8" nominal

FINISH: Honed, Textured; **12" x 24" available in Honed only**

APPLICATION: Floors and Walls; Interior and Exterior

HEALTH AND WELLNESS: Proprietary antimicrobial and anti-pollution coating is available with a 5000 sq.ft. minimum, Non Porous - able to clean with industrial grade products

- Trim Pieces Available
- Made in the USA
- GREENGUARD Gold Certification
- Can contribute to LEED®
- In Stock products are subject to availability
- Please note that variations in color and texture may occur due to the nature of the material

Features & Benefits



Made in the USA



Sustainable



Antimicrobial Coating



Withstand Industrial Cleaners



Non-Porous Properties



**Theory Shop-in-Shop,
Bloomingdales, New York, NY**

Theory In-House Design
Featuring FORM Concrete Porcelain –
FLSRI710



archsystems.com

Porcelains: Antimicrobial Coating cont.



Imperial Wood Grain Porcelain

SPECIFICATIONS:    

SIZE: 6" x 35.5"; 9" x 35.5"; **Spec ID#'s are listed for 9" x 35.5"**

THICKNESS: .35" (9mm)

FINISH: Honed, Textured, Skid-Resistant

APPLICATION: Floors and Walls; Interior and Exterior

HEALTH AND WELLNESS: Proprietary antimicrobial and anti-pollution coating is available with a 5000 sq.ft. minimum, Non Porous - able to clean with industrial grade products

- COF: DRY = .91 WET = .47
- Can contribute to LEED®
- Please note that variations in color and texture may occur due to the nature of the material



Installation Photo

Featuring Imperial Wood Grain Porcelain – FLSR1861

Features & Benefits



Sustainable



Antimicrobial Coating



Withstand Industrial Cleaners



Non-Porous Properties

archsystems.com



Porcelains: Antimicrobial Coating cont.



Mediterranean Wood Grain Porcelain

SPECIFICATIONS:



SIZE: 6" x 24", 8" x 48" nominal

THICKNESS: 3/8" nominal

FINISH: Matte

APPLICATION: Floors and Walls; Interior and Exterior

HEALTH AND WELLNESS: Proprietary antimicrobial and anti-pollution coating is available with a 5000 sq.ft. minimum, Non Porous - able to clean with industrial grade products

- GREENGUARD Gold Certification
- Made in the USA
- Can contribute to LEED®
- In Stock products are subject to availability
- Please note that variations in color and texture may occur due to the nature of the material

Features & Benefits



Made in the USA



Sustainable




Antimicrobial Coating



Withstand Industrial Cleaners



Non-Porous Properties



OneEleven W. Wacker, Chicago, IL

Kara Mann Design

Featuring Mediterranean Wood Grain Porcelain –
FLSR1647

archsystems.com



Porcelains: Antimicrobial Coating cont.



Petra Porcelain

SPECIFICATIONS:     

SIZE: 4" x 12", 8" x 48", 12" x 24", 12" x 48", 24" x 48"; **Spec ID#'s are listed for 12" x 24"**

THICKNESS: .35" (9mm), .39" (10mm)

FINISH: Honed, Lappato, Textured, Skid-Resistant

APPLICATION: Floors and Walls; Interior and Exterior

HEALTH AND WELLNESS: Proprietary antimicrobial and anti-pollution coating is available with a 5000 sq.ft. minimum, Non Porous - able to clean with industrial grade products

- COF: DRY = .91 WET = .47
- Can contribute to LEED®
- Please note that variations in color and texture may occur due to the nature of the material

Features & Benefits



Skid Resistant



Sustainable




Antimicrobial Coating



Withstand Industrial Cleaners



Non-Porous Properties



Even Hotel Times Square South, New York, NY
Glen and Company
Featuring Petra Porcelain – Noir – Honed – FLSR1927



archsystems.com

Porcelains: Antimicrobial Coating cont.



Porcelain Neutrality

SPECIFICATIONS:



SIZE: 12" x 24"; **Mosaics:** 2" x 2" on a 12" x 12" Mesh Mounted Sheet

THICKNESS: 3/8

FINISH: Honed

STYLE: Solid, Veining, Groove

COLORS: White, Grey, Dark Grey, Sand, Taupe

APPLICATION: Floors and Walls; Interior and Exterior

HEALTH AND WELLNESS: Non Porous - able to clean with industrial grade products

- Trim Pieces Available
- Can contribute to LEED®
- In Stock products are subject to availability
- Please note that variations in color and texture may occur due to the nature of the material

Features & Benefits



Sustainable



Withstand Industrial Cleaners



Non-Porous Properties



Grand Street Guild, New York, NY

Cutsogeorge Tooman & Allen Architects, P.C.
Featuring Porcelain Neutrality - Dark Grey -
Solid - FLCME637 Porcelain Neutrality -
White - Solid - FLCME635



archsystems.com

Porcelains: Antimicrobial Coating cont.



Porcelain Slabs

SPECIFICATIONS:



SIZE: 30" x 30", 30" x 60", 60" x 60", 60" x 120", 60" x 126"

THICKNESS: 6mm; 12mm is available only for 126" x 60" panels

FINISH: Polished, Honed

APPLICATION: Floors and Walls; Interior and Exterior

HEALTH AND WELLNESS: Proprietary antimicrobial and anti-pollution coating is available with a 5000 sq.ft. minimum, Non Porous - able to clean with industrial grade products

- GREENGUARD Gold Certification
- Made in the USA
- Can contribute to LEED®
- In Stock products are subject to availability
- Please note that variations in color and texture may occur due to the nature of the material

Features & Benefits



Made in the USA



Sustainable




Antimicrobial Coating



Withstand Industrial Cleaners



Non-Porous Properties



Installation Photo

Featuring Porcelain Slabs – Gold – Polished – FLSRB289



archsystems.com

Porcelains: Antimicrobial Coating cont.



Quarried Stone Porcelain

SPECIFICATIONS:



SIZE: 4" x 12", 12" x 24", 24" x 48"; **Spec ID#'s are listed for 12" x 24";** **Mosaics:** 1" x 2" on 12" x 12" Mesh Mounted Sheet, 2" x 2" on 12" x 12" Mesh Mounted Sheet

THICKNESS: 3/8" nominal

FINISH: Tiles: Honed or Polished; **Mosaics:** Honed

APPLICATION: Floors and Walls; Interior and Exterior

HEALTH AND WELLNESS: Proprietary antimicrobial and anti-pollution coating is available with a 5000 sq.ft. minimum, Non Porous - able to clean with industrial grade products

- Trim Pieces Available
- GREENGUARD Gold Certification
- Made in the USA
- Can contribute to LEED®
- In Stock products are subject to availability
- Please note that variations in color and texture may occur due to the nature of the material

Features & Benefits



Made in the USA



Sustainable



Antimicrobial Coating



Withstand Industrial Cleaners



Non-Porous Properties



Installation Photo

Featuring Quarried Stone Porcelain –
Broad Creek – Honed – FLSRB192



archsystems.com

Porcelains: Antimicrobial Coating cont.



Rodin Porcelain

SPECIFICATIONS:



In Stock



SIZE: Vein Cut: 3" x 12", 12" x 24", 24" x 48"; **Wave:** 12" x 24"; **Mosaics:** 2" x 2" on a 12" x 12"
Mesh Mounted Sheet

THICKNESS: 3/8

FINISH: Natural

STYLE: Vein Cut, Undulated Wave Texture

COLORS: Ivory, Beige, Silver, Titanium

APPLICATION: Floors and Walls; Interior and Exterior; **Wave:** Walls only

HEALTH AND WELLNESS: Non Porous - able to clean with industrial grade products

- Trim Pieces Available
- Can contribute to LEED®
- In Stock products are subject to availability
- Please note that variations in color and texture may occur due to the nature of the material

Features & Benefits



Sustainable



Withstand Industrial Cleaners



Non-Porous Properties



Installation Photo

Featuring Rodin Porcelain - Undulated Wave - Beige - DSCME014, Vein Cut - Beige - FLCME603



[archsystems.com](https://www.archsystems.com)

Porcelains: Antimicrobial Coating cont.



Stonehenge Porcelain

SPECIFICATIONS:



SIZE: 18" x 36", 12" x 24" nominal; **Spec ID#'s are listed for 18" x 36";** **Mosaics:** 2" x 2" or 1" x 2" on a 12" x 12" Mesh Mounted Sheet

THICKNESS: 3/8" nominal

FINISH: Honed, Lappato; **18" x 36" Amsbury, Salisbury, Thruxton and Tidworth available in Honed only**

APPLICATION: Floors and Walls; Interior and Exterior

HEALTH AND WELLNESS: Proprietary antimicrobial and anti-pollution coating is available with a 5000 sq.ft. minimum, Non Porous - able to clean with industrial grade products

- Trim Pieces Available
- GREENGUARD Gold Certification
- Made in the USA
- Can contribute to LEED®
- In Stock products are subject to availability
- Please note that variations in color and texture may occur due to the nature of the material

Features & Benefits



Made in the USA



Sustainable



Antimicrobial Coating



Withstand Industrial Cleaners



Non-Porous Properties



Installation Photo

Featuring Stonehenge Porcelain – Salisbury
Honed – FLSRB017



archsystems.com

Porcelains: Antimicrobial Coating cont.



Terassa Porcelain

SPECIFICATIONS:



In Stock



SIZE: 48" x 24", 24" x 24", 12" x 24", 8" x 8"

THICKNESS: 10mm

FINISH: Honed, Polished, Textured

APPLICATION: Floors and Walls; Interior and Exterior

HEALTH AND WELLNESS: Proprietary antimicrobial and anti-pollution coating is available with a 5000 sq.ft. minimum, Non Porous - able to clean with industrial grade products

- Trim Pieces Available
- GREENGUARD Gold Certification
- Made in the USA
- Can contribute to LEED®
- In Stock products are subject to availability
- Please note that variations in color and texture may occur due to the nature of the material

Features & Benefits



Sustainable





Antimicrobial Coating



Withstand Industrial Cleaners



Non-Porous Properties



Installation Photo

Featuring Terassa Porcelain – Retro Gray – FLSRI362 and Citrus – FLSRI422



archsystems.com

Reference Guide

COLLECTION	ANTIMICROBIAL COATING	ANTIMICROBIAL PROTECTION	WITHSTAND INDUSTRIAL CLEANER	NON-POROUS PROPERTIES	ANTIBACTERIAL	CLEANABLE WITH ANTIVIRAL DISINFECTANTS
Interlock Eco-Panels	✓					
Interwoven Eco-Panels	✓					
Pattern Play - Acoustical/Decorative Panels	✓					
Techno® Recycled Glass			✓	✓		
Composition Cork		✓				
Iconic Metals		✓				
Metal Fusión Panels		✓				
Tin Ceilings and Walls		✓				
QUARTO® Stacked Stone			✓			✓
QUARTO® Stone Sheets			✓			✓
Structura® Ceiling Tiles						✓
Structura® Door Skins						✓
Structura® Eco-Panels						✓
Designer Laminates Collection Antibacterial				✓	✓	
ASI Concrete Vinyl Collection	✓					
Eco-Acoustico Resilient Flooring	✓					
Eco-Tech® Resilient Floor	✓					

Reference Guide Cont.

COLLECTION	ANTIMICROBIAL COATING	ANTIMICROBIAL PROTECTION	WITHSTAND INDUSTRIAL CLEANER	NON-POROUS PROPERTIES	ANTIBACTERIAL	CLEANABLE WITH ANTIVIRAL DISINFECTANTS
Laguna Luxury Vinyl	✓					
Woven Vinyl	✓					
Aegean Travertine Porcelain	✓		✓	✓		
Americarrara Porcelain	✓		✓	✓		
Andaz Porcelain	✓		✓	✓		
Crescent Porcelain	✓		✓	✓		
Ecolinea Pcelain	✓		✓	✓		
FORM Concrete Porcelain	✓		✓	✓		
Imperial Wood Grain Porcelain	✓		✓	✓		
Mediterranean Wood Grain Porcelain	✓		✓	✓		
Petra Porcelain	✓		✓	✓		
Porcelain Neutrality			✓	✓		
Porcelain Slabs	✓		✓	✓		
Quarried Stone Porcelain	✓		✓	✓		
Rodin Porcelain			✓	✓		
Stonehenge Porcelain	✓		✓	✓		
Terassa Porcelain	✓		✓	✓		

Discover the ASI Advantage[®]



Offering a comprehensive range of award-winning innovative and distinctive interior finishes



Explore the Power of Materials[®] in the ASI LAB, our showroom featuring the Next New Thing[®] in materials, samples from every collection and full-scale installations for inspiration.



Let's customize and develop! Send an image that you love, and an ASI material specialist will work with you to meet your design intent and budget criteria



24/7 access to products that transcend trends on **archsystems.com**



Project Management Material take off's/ On-site support



Passionate about realizing your design vision since 1990




National Account program pricing



Value engineering and solution based products





Contact:
ASI | Architectural Systems, Inc.
archsystems.com
sales@archsystems.com | T: 212.206.1730

FOLLOW. TAG. SHARE.

