





Porcelains

A fuxtaposition of Contemporary + Traditional Selections







Visit **archsystems.com** for the full line of interior finishes, request samples and our digital product catalog; View a gallery of global projects and purchase in stock materials.

Contents

- Introduction to ASI | Architectural Systems, Inc.
- Aegean Travertine Porcelain
- AmeriCarrara Porcelain
- Andaz Porcelain
- Aura Wood Porcelain **NEW**
- Compac Porcelain NEW
- Crescent Porcelain
- Ecolinea Porcelain
- FORM Concrete Porcelain
- Imperial Wood Grain Porcelain
- Marbled Porcelain NEW

- Mediterranean Wood Grain Porcelain
- Metro Porcelain Floors **NEW**
- MIXX Concrete Porcelain **NEW**
- NaturaStone Porcelain NEW
- Porcelain Slabs
- Quarried Stone Porcelain
- Stonehenge Porcelain
- Terassa Porcelain
- Where to Find Technical Information
- Inspirational Project Photos
- Discover the ASI Advantage®







ASI | Architectural Systems, Inc. is a leading global resource for innovative, distinctive and sustainable interior finishes.

Foremost architects and designers, along with the broad base of decision makers across all market segments collaborate with ASI for their material expertise, project management from start to finish, material take-offs/on-site support, commitment to service, product solutions, custom capabilities and a robust range of finishes for **wall surfaces, flooring and more...**


ASI curates dimensional wood panels, high-performing hardwoods, luxury vinyl and porcelain plus natural stone and decorative surfacing material to provide the right aesthetics for your design vision and budget **with the added ease of finding it all in one place!**



Visit us in our new space where we welcome the opportunity to collaborate with you!

256 W 36th Street , 10th Floor, New York, NY 10001

Expand the boundaries of your design narrative with our newest porcelain groupings, a myriad of edited Porcelain choices, Made in the USA, which include the most dynamic interpretation of natural hardwoods including wood herringbone patterns and quarried stone in a robust range of sizes, finishes, tiles, planks, mosaics, slabs and trim piece available anywhere.









Like the ancient, rocky outcrops of the islands dotting the Mediterranean, **Aegean Travertine Porcelain** has a sun-worn look in three soft, neutral beach tones. Reflecting the beauty of natural marble, the sustainable planks provide classic authenticity and timelessness to any commercial environment where a high-performing product is required.


HEALTH AND WELLNESS:



Proprietary antimicrobial and anti-pollution coating is available with a 5000 sq.ft. minimum

| - 5 | 1 | - | 5 | |
|-----|---|---|---|--|
| - 0 | 1 | | | |
| - 1 | N | | 7 | |
| - 1 | 1 | | 2 | |
| | | | | |

Non Porous - able to clean with industrial grade products





Gabriel Kreuther, New York, NY Glen and Company Featuring Aegean Travertine Porcelain -Mottled Beige - FLSRI636





SPECIFICATIONS:



SIZE: 12" x 24", 8" x 48" for Mottled Platinum and Mottled Beige only, 24" x 48" nominal

THICKNESS: 3/8" nominal

FINISH: Matte

APPLICATION: Floors and Walls; Interior and Exterior

HEALTH AND WELLNESS: Proprietary antimicrobial and anti-pollution coating is available with a 5000 sq.ft. minimum Non Porous - able to clean with industrial grade products

- GREENGUARD Gold Certification
- Made in the USA
- Can contribute to LEED[®]
- In Stock products are subject to availability

• Please note that variations in color and texture may occur due to the nature of the material



Mottled Blanc 12" x 24" : FLSRI630 24" x 48" : FLSRI632



Mottled Platinum 12" x 24" : FLSRI633 8" x 48" : FLSRI634 24" x 48" : FLSRI635

Mottled Beige 12" x 24" : FLSRI636 8" x 48" : FLSRI637 24" x 48" : FLSRI638

View Collection







Embody old world essence in the time worn marble like appearance of the **AmeriCarrara Porcelain**. Made in the USA, Greenguard Gold Certification, and In Stock availability make this exceptionally harmonious and nature inspired palette an unmistakably classic yet modern option. In a honed or polished finish, along with an array of sizes, mosaics and trim pieces, this collection delivers a dynamic interpretation of stone.

HEALTH AND WELLNESS:

| 1 | 5 | 20 | 1 |
|-----|-----|----|----|
| -16 | • | 5. | Л |
| | 0 . | 10 | U. |
| 1 | 0 | 3) | 7 |

Proprietary antimicrobial and anti-pollution coating is available with a 5000 sq.ft. minimum

| . 6 | 1.1 | ~ |
|-----|-----|---|
| - 5 | ~ | 3 |
| - 6 | - | |
| | | л |
| | - | 1 |
| | | |

Non Porous - able to clean with industrial grade products





Installation Photo Featuring AmeriCarrara Porcelain -Sand - FLSRI961





SPECIFICATIONS: 🌒 🐽 🕉 🚱 👰

SIZE: 4" × 12", 12" × 24", 24", 24", **Spec ID#'s are listed for 12" x 24**"; **Mosaics:** 2" × 2", 2" × 4", 2" × 2" Hexagon on 12" × 12" Mesh Mounted Sheet; Mosaic w/ Wood Grains on 10" x 12" Mesh Mounted Sheet

THICKNESS: 3/8" nominal

FINISH: Tiles: Honed or Polished; Mosaics: Bone in Honed only

APPLICATION: Floors and Walls; Interior or Exterior

HEALTH AND WELLNESS: Proprietary antimicrobial and anti-pollution coating is available with a 5000 sq.ft. minimum Non Porous - able to clean with industrial grade products

- Trim Pieces Available
- Made in the USA
- GREENGUARD Gold Certification
- Can contribute to LEED®
- In Stock products are subject to availability
- Please note that variations in color and texture may occur due to the nature of the material



White Honed: FLSRI951 Polished: FLSRI964



Maramour Honed: FLSRI797 Polished: FLSRI829



Bone Honed: FLSRI799 Polished: N/A



Sand Honed: FLSRI820 Polished: FLSRI961



Blue Grey Honed: FLSRI939 Polished: FLSRI958

View Collection







An up to date selection, Made in the USA, of sleek and modern flooring and wall tiles for interior or exterior use frame the impression for **Andaz Porcelain**. Marketed in honed or polished finishes with a range of sizes plus mosaic patterns that are In stock, high performing and sustainable all add a perfect complement to contemporary design and comfortable ambiance anywhere.

HEALTH AND WELLNESS:

| | 1 | | | ~ | |
|----|---|----|---|----|---|
| 1 | 3 | 0 | - | 7 | 5 |
| 11 | ۰ | 5 | 2 | | |
| | ō | 2 | 8 | ξ. | |
| × | 5 | 20 | 0 | 8 | 1 |
| | ~ | | | ~ | |

Proprietary antimicrobial and anti-pollution coating is available with a 5000 sq.ft. minimum

| | | ~ |
|-----|----------|---|
| - è | <u>_</u> | 2 |
| 1 | | フ |
| | | ć |

Non Porous - able to clean with industrial grade products





Andaz Porcelain



SPECIFICATIONS: 🌒 💷 Stock 🖓 🕮 📖

SIZE: 24" x 24", 12" x 24", 12" x 12", 6" x 24" nominal; **Spec ID#'s are listed for 12" x 24"**; **Mosaics:** 1" x 1"; 1" x 2"; 1" x 12"; 3" x 3"; 3" x 6" on 12" x 12" Mesh Mounted Sheet

THICKNESS: 3/8" nominal

FINISH: Honed, Polished

APPLICATION: Floors and Walls; Interior and Exterior

HEALTH AND WELLNESS: Proprietary antimicrobial and anti-pollution coating is available with a 5000 sq.ft. minimum Non Porous - able to clean with industrial grade products

- Trim Pieces Available
- Made in the USA
- GREENGUARD Gold Certification
- Can contribute to LEED®
- In Stock products are subject to availability

• Please note that variations in color and texture may occur due to the nature of the material

Eggshell Honed: FLSRI199 Polished: FLSRI200



Earthtone Honed: FLSRI208 Polished: FLSRI209



Black Honed: FLSRI150 Polished: FLSRI151



Cream Honed: FLSRI177 Polished: FLSRI178

Fast Coast Beach

Honed: FLSRI465

Polished: FLSRI466



Cappuccino Honed: FLSRI168 Polished: FLSRI169



DMC Grey Honed: FLSRI186 Polished: FLSRI187







Aura Wood Porcelain



An exceptional collection that offers a subtle impression of natural wood grains in tiles, herringbone mosaics and a large format parqué flooring option to coordinate and complete a unique design outturn. Emoting the authentic warmth of hardwood with the durability and strength of a manmade material, **Aura Wood Porcelain** is in stock, Made in the USA has Greenguard Gold Certification and highlights the appeal of a timeless and ecological choice.

HEALTH AND WELLNESS:

Non Porous - able to clean with industrial grade products





Installation Photo Featuring Aura Wood Porcelain Coco - FLFMP051





- P. SPECIFICATIONS:

SIZE: Tiles: 6" x 36", 8" x 48" nominal; Exterior Pavers: 12" x 48" nominal available in Coco, Cashew and Hazel only Parqué: 24" x 24"; Herringbone Mosaics: 1 5/16" x 3 7/8" on a 12" x 15" Mesh Mounted Sheet; Spec ID#'s are listed for 6" x 36"

THICKNESS: Interior: 10mm nominal; Exterior Pavers: 20mm nominal; Bullnose: 10mm; Cove Base*: 7mm

FINISH: Interior: Matte; Exterior Pavers: Textured

APPLICATION: Floors and Walls; Interior and Exterior

HEALTH AND WELLNESS: Non Porous - able to clean with industrial grade products

- Trim Pieces Available; Cove Base by Special Order in Matte finish only*
- DCOF WET ≥ .42 Matte finish only
- GREENGUARD Gold Certification
- Low VOC emissions
- Made in the USA
- Can contribute to LEED[®]
- In Stock products are subject to availability
- Please note that variations in color and texture may occur due to the nature of the material



Coco - FLFMP051





Cashew - FI FMP052



Pecan - FLFMP053



Walnut - FLFMP054



Hazel - FLFMP055

View Collection







Obtainable in five nature infused colorations and six different size options with a choice of finishes, **Compac Porcelain** is a welcome addition to our robust Made in the USA collections. Suitable for Walls, Floors and showers with trim pieces and mosaics available to mix in, an intersection of a soothing surfacing material that is also high-performing and eco-compatible create an impressionable setting universally.

HEALTH AND WELLNESS:

Non Porous - able to clean with industrial grade products





Installation Photo Featuring Compac Porcelain - Vapor -Textured - FLFMP006





SPECIFICATIONS: 🐵 🌒 🐽 Stock 🛞 🕮 🙀

SIZE: 6" x 24", 12" x 12", 12" x 24", 24" x 24", 24" x 48" nominal **Spec ID#'s are listed for 12" x 24" Mosaics:** 2" x 2" on a 12" x 12" Mesh Mounted Sheet

THICKNESS: 10mm nominal; Bullnose: 10mm; Cove Base*: 7mm

FINISH: Interior: Matte; Exterior: Textured 12" x 12" only

APPLICATION: Floors and Walls; Interior and Exterior

HEALTH AND WELLNESS: Non Porous - able to clean with industrial grade products

- Trim Pieces Available; Cove Base by Special Order in Matte finish only*
- DCOF WET ≥ .42 Matte finish only
- GREENGUARD Gold Certification
- Low VOC emissions
- Made in the USA
- Can contribute to LEED®
- In Stock products are subject to availability
- Please note that variations in color and texture may occur due to the nature of the material



Vapor Matte - FLFMP011



Fog Matte - FLFMP014



Dune Matte - FLFMP012



Stormy Matte - FLFMP015



Smoke Matte - FLFMP013









Inspired by the phases of the moon, **Crescent Porcelain** offers a luminous take on neutral toned tiles. Available in a honed or lappato finish and a curated selection of sizes and Mosaic patterns, this Made in the USA collection is a distinctly innovative yet timeless material for any contract environment.

HEALTH AND WELLNESS:

| 1 | \sim | | ÷. |
|-----|--------|--------|------|
| 14 | Se | 2 | 1 |
| 11. | 11 | ۰. | . 11 |
| 119 | | M | 21 |
| 114 | ° 0 | \sim | |
| | | | |

Proprietary antimicrobial and anti-pollution coating is available with a 5000 sq.ft. minimum

| | r | \sim | |
|-----|---|--------|---|
| - é | - | | 3 |
| ٦ | | | 7 |
| - 1 | | - | Ŀ |
| | | | |

Non Porous - able to clean with industrial grade products





Featuring Crescent Porcelain -Lunar - Honed - FLSRB046

Crescent Porcelain



SPECIFICATIONS: 🌒 🗆 Stock 🖓 🚟 🚳 🔁

SIZE: 12" x 24" ; 18" x 36"; **Spec ID#'s are listed for 12" x 24"**; **Mosaics:** 1" x 2" or 2" x 2" on 12" x 12" Mesh Mounted Sheet

THICKNESS: 3/8" nominal

FINISH: Honed, Lappato

APPLICATION: Floors and Walls; Interior and Exterior

HEALTH AND WELLNESS: Proprietary antimicrobial and anti-pollution coating is available with a 5000 sq.ft. minimum Non Porous - able to clean with industrial grade products

- Trim Pieces Available
- Made in the USA
- GREENGUARD Gold Certification
- Can contribute to LEED®
- In Stock products are subject to availability
- Please note that variations in color and texture may occur due to the nature of the material



Lunar Honed: FLSRB046 Lappato: FLSRB047



Breccia Honed: FLSRB038 Lappato: FLSRB039



Meteorite Honed: FLSRB042 Lappato: FLSRB043



Moon Rock Honed: FLSRB040 Lappato: FLSRB041



Astroid Honed: FLSRB044 Lappato: FLSRB045



Eclipse Honed: FLSRB036 Lappato: FLSRB037

View Collection







Evoke the illusion of movement with **Ecolinea Porcelain**, a novel interpretation of material for simulating with striations, allowing designers to select the perfect highperformance flooring and wall surfacing required for every project application without having to compromise on the aesthetic they want.

HEALTH AND WELLNESS:

| | | _ | - | | |
|------|--------|------|----|------|--|
| | 1 | - | ~ | ×. | |
| 1 | \sim | 0 | 0 | 74 | |
| - 11 | 6 | 2 | τ. | -1 | |
| | l n | - | × | - 11 | |
| | x | - 24 | N | 9 | |
| | | | | | |

Proprietary antimicrobial and anti-pollution coating is available with a 5000 sq.ft. minimum

| | ÷ | ~ | |
|-----|---|----|---|
| - 6 | - | - | 3 |
| 11 | | 7 | 7 |
| 1 | | ۰. | |
| | | | |

Non Porous - able to clean with industrial grade products





Installation Photo Featuring Ecolinea Porcelain -Greige - FLSRI741

Ecolinea Porcelain



SPECIFICATIONS: 🌒 🖛 Stock 💬 🛄

SIZE: 12" \times 24"; 18" \times 36" for Gray, Khaki, Ivory, and Greige only nominal; 6" \times 36" Khaki only; Mosaics: 2" \times 2" on 12" \times 12" Mesh Mounted Sheet



Gray Honed: 12" x 24" FLSRI703, 18" x 36" FLSRI729 Semi-Polished: 18" x 36" - FLSRI730

Nero



Greige Honed: 12" x 24" FLSRI741, 18" x 36" FLSRI743 Semi-Polished: 18" x 36" - FLSRI744



Khaki Honed: 6" x 36" FLSRI735, 12" x 24" FLSRI736, 18" x 36" FLSRI738 Semi-Polished: 18" x 36" FLSRI739



lvory Honed: 12" x 24" FLSRI702, 18" x 36" FLSRI733 Semi-Polished: 18" x 36" - FLSRI734 View Collection



archsystems.com

THICKNESS: 3/8" nominal

FINISH: Honed, Semi-Polished; for 18" x 36" nominal Gray, Khaki, Ivory, and Greige only

APPLICATION: Floors and Walls; Interior and Exterior

HEALTH AND WELLNESS: Proprietary antimicrobial and anti-pollution coating is available with a 5000 sq.ft. minimum Non Porous - able to clean with industrial grade products

- Trim Pieces Available
- GREENGUARD Gold Certification
- Made in the USA
- Can contribute to LEED®
- In Stock products are subject to availability

• Please note that variations in color and texture may occur due to the nature of the material

Honed: 12" x 24" FLSRI746





Monolithic yet rich with intricate characteristics, **FORM Concrete Porcelain** offers the rough hewn of industrial materials with worn, weathered textures and a unified palette of muted earth tones for the perfect intersection of form and function.

HEALTH AND WELLNESS:



Proprietary antimicrobial and anti-pollution coating is available with a 5000 sq.ft. minimum



Non Porous - able to clean with industrial grade products





New York Marriott at Brooklyn Bridge, New York, NY Krause Sawyer Featuring FORM Concrete Porcelain Grey - FLSR1710





SPECIFICATIONS: 🌒 🐽 🕉 🚱 🔁

SIZE: 6" x 36" **for Grey and Frost only**, 18" x 36", 12" x 24" nominal; **Spec ID#'s are listed for 18" x 36"**; **Mosaics:** 1" x 2" or 2" x 2" on 12" x 12" Mesh Mounted Sheet

THICKNESS: 3/8" nominal

FINISH: Honed, Textured; 12" x 24" available in Honed only

APPLICATION: Floors and Walls; Interior and Exterior

HEALTH AND WELLNESS: Proprietary antimicrobial and anti-pollution coating is available with a 5000 sq.ft. minimum Non Porous - able to clean with industrial grade products

- Trim Pieces Available
- Made in the USA
- GREENGUARD Gold Certification
- Can contribute to LEED®
- In Stock products are subject to availability

• Please note that variations in color and texture may occur due to the nature of the material



Honed Grey -FLSRI711



Textured Frost -FLSRI717



Honed Coastal Grey -FLSRI721



Textured Grey -FLSRI712



Honed Charcoal -FLSRI725



Honed Frost -FLSRI716



Textured Charcoal -FLSRI726









Imperial Wood Grain Porcelain highlights the beauty found in natural wood species with subtle graining that combines appearance and construction with the warmth and character of hardwoods. Offered in honed and textured, skid-resistant finishes, these sustainable 6" and 9" planks allow designers to choose a high performance and durability driven manufactured product without compromise.

HEALTH AND WELLNESS:



Proprietary antimicrobial and anti-pollution coating is available with a 5000 sq.ft. minimum

| 12 | Z | | | | L | |
|-----|---|---|---|----|-----|--|
| . 1 | | - | - | ÷ | 2 | |
| | N | - | | 1 | ٢., | |
| | | | | -1 | | |

Non Porous - able to clean with industrial grade products





Installation Photo Featuring Imperial Wood Grain Porcelain - Tan - FLSRI857, FLSRI859





SPECIFICATIONS: 🌒 🛞 🔁

SIZE: 6" x 35.5"; 9" x 35.5"; Spec ID#'s are listed for 9" x 35.5"

THICKNESS: .35" (9mm)

FINISH: Honed, Textured, Skid-Resistant

APPLICATION: Floors and Walls; Interior and Exterior

HEALTH AND WELLNESS: Proprietary antimicrobial and anti-pollution coating is available with a 5000 sq.ft. minimum Non Porous - able to clean with industrial grade products

- COF: DRY = .91 WET = .47
- Can contribute to LEED®

• Please note that variations in color and texture may occur due to the nature of the material



White Honed: FLSRI853 Textured, Skid-Resistant: FLSRI854



Grey Honed: FLSRI865 Textured, Skid-Resistant: FLSRI866



Tan Honed: FLSR1857 Textured, Skid-Resistant: FLSR1858



Cappuccino Honed: FLSRI861 Textured, Skid-Resistant: FLSRI862



Charcoal Honed: FLSR1869 Textured, Skid-Resistant: FLSR1870

View Collection







Strength and durability, with the added enhancement of showcasing the inherent beauty of natural stone in a simulated material is truly what makes **Marbled Porcelain** a classic expression when transforming a blank canvas for a present day effect. In 5 veined tile color options with synchronizing brick patterns and mesh mounted mosaics, a Matte or Polished finish and Made in the USA, this GreenGuard Gold certified material is an absolute go to for any commercial spaces.

HEALTH AND WELLNESS:

P

Non Porous - able to clean with industrial grade products





Installation Photo Featuring Marbled Porcelain - Silk -Matte - FLFMP173





www 🔇 In Stock 🚱 Green guard 📕 👰 SPECIFICATIONS:

SIZE: Tiles: 12" x 24", 24" x 24", 24" x 48" nominal; Spec ID#'s are listed for 12" x 24" Bricks: 3" x 6" on a 12" x 12" Mesh Mounted Sheet; Mosaics: 2" x 2" on a 12" x 12" Mesh Mounted Sheet

THICKNESS: 10mm nominal; Bullnose: 10mm; Cove Base*: 7mm

FINISH: Matte, Polished

APPLICATION: Floors and Walls; Interior and Exterior

HEALTH AND WELLNESS: Non Porous - able to clean with industrial grade products

- Trim Pieces Available; Cove Base by Special Order in Matte finish only*
- DCOF WET ≥ .42 Matte finish only
- GREENGUARD Gold Certification
- Low VOC emissions
- Made in the USA
- Can contribute to LEED[®]
- In Stock products are subject to availability
- Please note that variations in color and texture may occur due to the nature of the material



Silk Matte - FLFMP173 Polished - FLFMP178



Cashmere Matte - FLFMP176 Polished - FLFMP181



Lace Matte - FLFMP174 Polished - FLFMP179



Chiffon Matte - FLFMP177 Polished - FLFMP182



Twill Matte - FLFMP175 Polished - FLFMP180

View Collection



Mediterranean Wood Grain Porcelain



The Italian cities of the Amalfi Coast blend naturally with the striking landscape, giving a natural, old-world feel to this seaside environment. **Mediterranean Wood Grain Porcelain** translates the mood and tone of the region in these eco-friendly planks that mimic the artisanal character of Italian hardwood. Make an original statement with spirited style!

HEALTH AND WELLNESS:

| | 1 | - | | |
|------|----|----|-----|----|
| 1 | 6 | 10 | 0 | V |
| - (1 | 0 | -0 | S.n | 1 |
| V | (0 | | 2 | /) |
| | 0 | 3 | 2 | 1 |

Proprietary antimicrobial and anti-pollution coating is available with a 5000 sq.ft. minimum

| 6 | | ~ |
|-----|----------|---|
| - 2 | <u>_</u> | 1 |
| | | |
| | | |
| 1 | ~ | 4 |

Non Porous - able to clean with industrial grade products





OneEleven W. Wacker, Chicago, IL Kara Mann Design Featuring Mediterranean Wood Grain Porcelain -FLSRI647



P



SPECIFICATIONS:

SIZE: 6" x 24", 8" x 48" nominal

THICKNESS: 3/8" nominal

FINISH: Matte

APPLICATION: Floors and Walls; Interior and Exterior

0

HEALTH AND WELLNESS: Proprietary antimicrobial and anti-pollution coating is available with a 5000 sq.ft. minimum Non Porous - able to clean with industrial grade products

- GREENGUARD Gold Certification
- Made in the USA
- Can contribute to LEED®
- In Stock products are subject to availability
- Please note that variations in color and texture may occur due to the nature of the material



Gibraltar 6" x 24": FLSRI641 8" x 48": FLSRI642



lzmir 6" x 24": FLSRI647 8" x 48": FLSRI648



Sardinia 6" x 24": FLSRI651 8" x 48": FLSRI652



Riviera 6" x 24": FLSRI649 8" x 48": FLSRI650



Malta 6" x 24": FLSRI643 8" x 48": FLSRI644



Kusadasi 6" x 24": FLSRB555 8" x 48": FLSRB556

View Collection







From nine monochromatic to dramatic colorways with a Matte, Natural or Textured finish, **Metro Porcelain - Floors** also offers coordinating mosaics and Wall Tiles to further compliment an impactfully designed space. Sustainably focused, suitable for Interior or Exterior use, durable and visually distinctive, this Made in the USA, versatile collection ensures an informed material choice.

HEALTH AND WELLNESS:

Non Porous - able to clean with industrial grade products



Installation Photo Featuring Metro Porcelain – Floors -Caracól - FLFMP323







SIZE: 12" × 12", 12" × 24", 24" × 24", 24" × 48" nominal **Spec ID#'s are listed for 12" × 24"; Mosaics:** 2" × 2" on a 12" × 12" Mesh Mounted Sheet

THICKNESS: 10mm nominal; Bullnose: 10mm; Cove Base*: 7mm

FINISH: Matte, Natural, Textured in 12" x 24" and 24" x 48" only

APPLICATION: Floors and Walls; Interior and Exterior

HEALTH AND WELLNESS: Non Porous - able to clean with industrial grade products

- Trim Pieces Available Matte finish only; Cove Base by special order in Matte finish only*
- DCOF WET ≥ .42 Matte finish only
- GREENGUARD Gold Certification
- Low VOC emissions
- Made in the USA
- Can contribute to LEED®
- In Stock products are subject to availability

• Please note that variations in color and texture may occur due to the nature of the material



View Collection









Sol - Matte - FLFMP325 Natural - FLFMP334 Textured - FLFMP343



Arena- Matte - FLFMP324 Natural - FLFMP333 Textured - FLFMP342



Trueno - Matte - FLFMP328 Natural - FLFMP337 Textured - FLFMP346



Mangle - Natural - FLFMP340 Matte - FLFMP331 Textured - FLFMP349



Lluvia - Natural - FLFMP336 Matte - FLFMP327 Textured - FLFMP345



Caracól - Natural - FLFMP332 Matte - FLFMP323 Textured - FLFMP341







Ola - Textured - FLFMP348 Natural - FLFMP339 Matte - FLFMP330



Corriente - Textured -FLFMP347 Natural - FLFMP338 Matte - FLFMP329



Río - Textured - FLFMP344 Natural - FLFMP335 Matte - FLFMP326

View harmonized **Metro Porcelain – Walls** collection to further compliment an impactfully designed space.

View Collection







Bringing a fresh approach to concrete, this in stock grouping emanates an industrial and artistic energy showcasing depth and dimension in 8 nature inspired colorations and a range of sizes + a Matte, Polished or a Textured paver finish for exteriors. **MIXX Concrete Porcelain** provides ease of maintenance, is made domestically and it's green accreditation makes this conscious building material a clean and contemporary surfacing selection.

HEALTH AND WELLNESS:

Non Porous - able to clean with industrial grade products





Installation Photo Featuring MIXX Concrete Porcelain -Harem - Matte - FLFMP078; Pegged - Matte - FLFMP170





SPECIFICATIONS: 👦 🌒 🕼 Stock 🛞 🕮 🙀

SIZE: Tiles: 12" x 24", 24" x 24", 24" x 48", 48" x 48" nominal; **Exterior Pavers:** 12" x 48", 24" x 24", 24" x 48" nominal **in Harem, Bermuda and Capri only; Mosaics:** 2" x 2" on a 12" x 12" Mesh Mounted Sheet

THICKNESS: Interior: 10mm nominal; Exterior Pavers: 20mm nominal; Bullnose: 10mm; Cove Base*: 7mm

FINISH: Interior: Matte, Polished; Exterior Pavers: Textured

APPLICATION: Floors and Walls; Interior and Exterior

HEALTH AND WELLNESS: Non Porous - able to clean with industrial grade products

• Trim Pieces Available in Harem, Bermuda, Capri, Carpenter, Cargo and Flare only; Cove Base by special order in Matte finish only*

- DCOF WET ≥ .42 Matte finish only
- GREENGUARD Gold Certification
- Low VOC emissions
- Made in the USA
- Can contribute to LEED®
- In Stock products are subject to availability

• Please note that variations in color and texture may occur due to the nature of the material



Harem Matte - FLFMP078 Polished - FLFMP084



Carpenter Matte - FLFMP080 Polished - FLFMP086



Cuffed Matte - FLFMP169 Polished - FLFMP171



Bermuda Matte - FLFMP079 Polished - FLFMP85



Cargo Matte - FLFMP082 Polished - FLFMP088



Pegged Matte - FLFMP170 Polished - FLFMP172



Capri Matte - FLFMP081 Polished - FLFMP087



Flare Matte - FLFMP083 Polished - FLFMP089

View Collection







Defining what is new and now, the expressive **NaturaStone Porcelain** collection compliments the ageless appeal of quarried stone offering five hues of rectified tiles and planks in a Matte or Polished finish with a hexagon mosaic available too. Delivering an ease of maintenance, flexibility of design options, GreenGuard certified and Made in the USA, you can create a memorable environment anyplace.

HEALTH AND WELLNESS:

Non Porous - able to clean with industrial grade products





Installation Photo Featuring NaturaStone Porcelain Obsidian -Polished - FLFMP248





SPECIFICATIONS: 💩 🌒 🖛 Stock 🛞 SEENCLARE

SIZE: 12" x 24", 24" x 24", 24" x 48" nominal; **Polished only:** 3" x 12"; **Spec ID#'s are listed for 12" x 24"**; **Hexagon Mosaics:** 3" x 3 1/2" hexagons - 12 pieces on 9" x 11" Mesh Mounted Sheet

THICKNESS: 10mm nominal; Bullnose: 10mm; Cove Base*: 7mm

FINISH: Matte, Polished

APPLICATION: Floors and Walls; Interior and Exterior

HEALTH AND WELLNESS: Non Porous - able to clean with industrial grade products

- Trim Pieces Available; Cove Base by special order in Matte finish only*
- DCOF WET ≥ .42 Matte finish only
- GREENGUARD Gold Certification
- Low VOC emissions
- Made in the USA
- \bullet Can contribute to LEED $^{\circ}$
- In Stock products are subject to availability
- Please note that variations in color and texture may occur due to the nature of the material



Opal - Matte FLFMP242; Polished - FLFMP247



Jasper - Matte FLFMP239; Polished - FLFMP244



Obsidian - Matte FLFMP243; Polished - FLFMP248



Agate - Matte FLFMP240; Polished - FLFMP245



Citrine - Matte FLFMP241; Polished - FLFMP246

View Collection





The **Porcelain Slabs** collection is all about the infinite beauty and strength of the universe highlighting an impactful and simplistic aesthetic in six extraordinary shades that protect the design integrity of natural stone. Multiple sizes and Honed or Polished options capture the sensation of luxurious marble with the convenience of easy maintenance and durability found in a man-made material.

HEALTH AND WELLNESS:


Porcelain Slabs



Proprietary antimicrobial and anti-pollution coating is available with a 5000 sq.ft. minimum

| - 50 | ~ | | 5 | |
|------|---|---|---|---|
| ć | | - | | |
| T | | 1 | η | |
| 1 | | - | £ | |
| ٦. | | | F | - |

Non Porous - able to clean with industrial grade products





Installation Photo Featuring Porcelain Slabs - Zinc - Polished - FLSRB299





📕 🔞 🔁 SPECIFICATIONS: NEW 0

SIZE: 30" x 30", 30" x 60", 60" x 60", 60" x 120", 60" x 126" THICKNESS: 6mm; 12mm is available only for 126" x 60" panels FINISH: Polished, Honed

APPLICATION: Floors and Walls: Interior and Exterior

HEALTH AND WELLNESS: Proprietary antimicrobial and anti-pollution coating is available with a 5000 sq.ft. minimum Non Porous - able to clean with industrial grade products

- GREENGUARD Gold Certification
- Made in the USA
- Can contribute to LEED®
- In Stock products are subject to availability
- Please note that variations in color and texture may occur due to the nature of the material



Silver Polished: FLSRB270 Honed: FLSRB269



Aluminum Polished: FLSRB309 Honed: FLSRB308



Gold Polished: FLSRB289 Honed: FLSRB288



Nickel Polished: FLSRB279 Honed: FLSRB278



7inc Polished: FLSRB299 Honed: FLSRB298



Champagne Polished: FLSRB318

View Collection







Illustrating the classic romance of natural stone, **Quarried Stone Porcelain**, Made in the USA, is a new and notable addition to our porcelain selections. Five earth inspired colorations in a choice of sizes with a Honed or Polished finish and coordinated mosaics and trim pieces showcase the timelessness and modernity that architects have sought for ages. Applications include Wall surfaces and Flooring, and both Interior or Exterior setting.

HEALTH AND WELLNESS:



Proprietary antimicrobial and anti-pollution coating is available with a 5000 sq.ft. minimum

| | ~ | - | ۰. | |
|---|---|---|----|--|
| 6 | - | - | -1 | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

Non Porous - able to clean with industrial grade products





Installation Photo Featuring Quarried Stone Porcelain -Mount Airy - FLSRB194





SPECIFICATIONS: 💩 🕼 🕼 💬

SIZE: 4" x 12", 12" x 24", 24" x 48"; **Spec ID#'s are listed for 12" x 24"**; **Mosaics:** 1" x 2" on 12" x 12" Mesh Mounted Sheet, 2" x 2" on 12" x 12" Mesh Mounted Sheet

THICKNESS: 3/8" nominal

FINISH: Tiles: Honed or Polished; Mosaics: Honed

APPLICATION: Floors and Walls; Interior and Exterior

HEALTH AND WELLNESS: Proprietary antimicrobial and anti-pollution coating is available with a 5000 sq.ft. minimum Non Porous - able to clean with industrial grade products

- Trim Pieces Available
- GREENGUARD Gold Certification
- Made in the USA
- Can contribute to LEED®
- In Stock products are subject to availability
- Please note that variations in color and texture may occur due to the nature of the material



Mount Airy Honed: FLSRB194 Polished: FLSRB203



Iron Hill Honed: FLSRB234 Polished: FLSRB265



Tuckahoe Honed: FLSRB193 Polished: FLSRB202



Ozark Honed: FLSRB235 Polished: FLSRB266



Broad Creek Honed: FLSRB192 Polished: FLSRB201

View Collection



archsystems.com





A brushed, roughhewn and weathered effect are the elements of inspiration in the new **Stonehenge Porcelain**. This collection is offered in two sizes with a lappato or honed finish, capturing the ancient landscape in this spiritually acclaimed wonder of the world. GreenGuard Certified, interior or exterior use, for walls and floors all make this a go-to product for any iconic design.


HEALTH AND WELLNESS:

| | - | | ~ | |
|----|--------|----|----|----|
| 1 | \leq | 0. | ~ | ١. |
| 11 | 2 | 59 | ۰. | |
| | ~ | 1 | Ð. | |
| × | e. | 6 | 2 | y |
| | 0 | - | 1 | ٢ |

Proprietary antimicrobial and anti-pollution coating is available with a 5000 sq.ft. minimum

| | | ć | 4 | | 6 | |
|-----|---|---|---|---|---|---|
| - 2 | Ľ | 2 | | | 2 | ٦ |
| ۲ | ۲ | 7 | | 7 | 7 | |
| - 1 | | | | | 1 | |
| | | | | | | |

Non Porous - able to clean with industrial grade products





Installation Photo Featuring Stonehenge Porcelain -Shrewton - Honed - FLSRB023





SPECIFICATIONS: 🌒 🕼 Stock 🖓 🕮 📖

SIZE: 18" x 36", 12" x 24" nominal; **Spec ID#'s are listed for 18" x 36"**; **Mosaics:** 2" x 2" or 1" x 2" on a 12" x 12" Mesh Mounted Sheet

THICKNESS: 3/8" nominal

FINISH: Honed, Lappato; 18" x 36" Amsbury, Salisbury, Thruxton and Tidworth available in Honed only

APPLICATION: Floors and Walls; Interior and Exterior

HEALTH AND WELLNESS: Proprietary antimicrobial and anti-pollution coating is available with a 5000 sq.ft. minimum Non Porous - able to clean with industrial grade products

- Trim Pieces Available
- GREENGUARD Gold Certification
- Made in the USA
- Can contribute to LEED®
- In Stock products are subject to availability
- Please note that variations in color and texture may occur due to the nature of the material



Amsbury Honed: FLSRB021 Lappato: FLSRB020



Salisbury Honed: FLSRB017 Lappato: FLSRB016



Shrewton Honed: FLSRB023 Lappato: FLSRB022



Thruxton Honed: FLSRB019 Lappato: FLSRB018



Tidworth Honed: FLSRB025 Lappato: FLSRB024

View Collection



archsystems.com





Reminiscent of Art Deco and Moderne styling from the 1920s-1940s, **Terassa Porcelain** offers thirteen robust and colorful tiles for walls and floors in a range of sizes, including large format and aggregate chips embedded in a matrix. Embracing yet evolving from the past this contemporary full body porcelain captures the spirit of old Venetian terrazzo masters for a myriad of design possibilities with an artistic edge, suitable for the most exacting environments.

HEA

HEALTH AND WELLNESS:

Proprietary antimicrobial and anti-pollution coating is available with a 5000 sq.ft. minimum



Non Porous - able to clean with industrial grade products





Installation Photo Featuring Terassa Porcelain - Retro Grey -FLSRB362; Citrus - FLSRB422





SPECIFICATIONS: 🌒 🗈 🕲 🖗

SIZE: 48" x 24", 24" x 24", 12" x 24", 8" x 8"

THICKNESS: 10mm

FINISH: Honed, Polished, Textured

APPLICATION: Floors and Walls; Interior and Exterior

HEALTH AND WELLNESS: Proprietary antimicrobial and anti-pollution coating is available with a 5000 sq.ft. minimum Non Porous - able to clean with industrial grade products

- Trim Pieces Available
- GREENGUARD Gold Certification
- Can contribute to LEED®
- In Stock products are subject to availability
- Please note that variations in color and texture may occur due to the nature of the material



View Collection










Crushed White Honed: FLSRB360 Polished: FLSRB341 Textured: FLSRB383



Ice Honed: FLSRB359 Polished: FLSRB340 Textured: FLSRB382



Silver Coat Honed: FLSRB361 Polished: FLSRB342 Textured: FLSRB384



Retro Grey Honed: FLSRB362 Polished: FLSRB343 Textured: FLSRB385




Apricot Honed: FLSRB364 Polished: FLSRB345 Textured: FLSRB387



Cocoa Honed: FLSRB366 Polished: FLSRB347 Textured: FLSRB389



Agave Honed: FLSRB365 Polished: FLSRB346 Textured: FLSRB388



Night Sky Honed: FLSRB363 Polished: FLSRB344 Textured: FLSRB386








Pastel Pink Honed: FLSRB424 Polished: FLSRB409



Terracotta Honed: FLSRB421 Polished: FLSRB406



Citrus Honed: FLSRB422 Polished: FLSRB407




Sea Blue Honed: FLSRB423 Polished: FLSRB408



Olive Honed: FLSRB420 Polished: FLSRB405







Polished: FLSR8299 Honed: FLSR8298



ion phote Porcelain Slabs - Zinc - Polished - FLSR8295 replacing worn parts when necessary. For accurate cutting use a traditional cutter, checking the

state of the cutting wheel before starting. For circular cutting, after having made a template (that is to say a pattern of the part to be cut), lay it on the part in question and transfer the shape with a pencil. Using a diamond-cutting disk, cut without exerting excessive pressure (4-5).



any heavy construction work has been completed

In instances where the Porcelain Slabs are installed prior to the completion of construction specia care must be taken to protect the tile until it is put into normal service. The general buildup of dirt and debris present on any construction site may negatively affect the performance of the tile if it is left unprotected. The best way to protect the tile surface is to cover it with a protective laver of Kraft paper, carpeting, cardboard, plywood, or any other material that will not adversely affect the tile surface

Initial Cleaning and Maintenance

The most important cleaning operation is performed immediately after the tile has been set. This involves the complete removal of grout residue and construction dirt from the newly installed Porcelain Slabs. Grout manufacturers provide directions for the cleanup of their products after installation has been completed. These directions should be followed. In many cases Porcelain Slabs can be successfully cleaned by scrubbing with a mild detergent, combined with a thorough rinsing. It is critical that all rinse water be removed through wet vacuuming or dry toweling. Should any grout residue remain, this process can be repeated several times as necessary.

Where to Find Technical Information





Maintenance

MAINTENANCE CONT.

For highly textured products, or when using a dark colored grout with a light-colored tile, a grout release may be used prior to grouting to assist in the removal of the grout from the surface of the tile. Before grouting, the contractor should test a small area of the tile to determine if the chosen color grout will discolor the surface of the tile, in which case a grout release should be utilized. Please follow the specific manufacturer's instructions for the use of any grout release product.

Surface Coatings

The inherent density and low water absorption of all Crystalline Wall Tiles ensure a product that is easy to maintain. Crystalline Wall Tiles do not require the use of sealers or waxes. These surface coatings may negatively affect the performance of the tile.

In some instances where an unglazed, polished porcelain product is used in an area subject to excessive exposure to dirt. a penetrating type sealer may be used. A penetrating sealer is designed to fill the microscopic pores created during the polishing process. It is not designed to coat the surface of the tile.

We recommend that all sealers be tested in a small inconspicuous area before general use on the floor. Please ensure you follow the manufacturer's instructions when using a penetrating sealer and do not allow the sealer to dry on the surface of the tile.

Regular Maintenance

The inherent technical characteristics of Crystalline Wall Tiles ensures that they will be relatively easy to maintain and should provide years of enjoyment. Many general-purpose cleaners that are readily available are acceptable for use on Crystalline Wall Tiles. It is important that the cleaner has a non-oil, non-animal fat, non-soap base. These components can leave behind an invisible residue with can trap dirt. It is also important that the tile receive a thorough rinsing with clean water after the cleaning process has been completed.

The general cleaning steps for Crystalline Wall Tiles can be summarized as follows:

- 1. Remove all loose debris from the tile by sweeping with a soft bristle broom or vacuuming. Any spills should be wiped up as quickly as possible.
- 3. Apply the recommended amount and dilution of the appropriate cleaner to the tile. Allow the cleaner to remain on the tile for short period of time (at least 5 minutes). For unpolished tile, scrub with a nylon pad or soft bristle brush. For more heavily soiled
- floors a floor machine equipped with a nylon pad or bristle brush may be used. For polished tile, wipe or mop with a nonabrasive mop or cloth.
- 5. Remove the dirty cleaning solution and water with a wet vacuum or mop. Thoroughly rinse the tile with clean water and remove with a wet vacuum, mop, or towel. It is essential for all detergent residues to be completely removed from the tile. Any remaining detergent residue can dry on the tile and form a coating which can trap dirt and be very difficult to remove. The tile should be rinsed several times if necessary, to remove all detergent residue.

The frequency and timing of any maintenance program is dependent on the specific characteristics of each tile application. Factors such as foot traffic, environmental conditions and product color should be considered when planning your maintenance schedule. In high traffic areas, or in areas subject to excessive exposure to dirt, a more frequent cleaning schedule may be necessary

MAINTENANCE CONT.

A Word About Cleaners

There are many excellent cleaners on the market today which should provide you with stisfatcher vesilts. All-jourpose household deaners such as Soft Scrub, Top Job, Mr. Clean, Ajax Liquid, Dow Bathroom Cleaner, Liquid Comet, and Fantastik are all suitable for general purpose cleaning of Aegean products. Scap less detergents such as Spic 6. Span and 409 may also be used For the removal of stains on unpolished tile, scouring powders such as Comet, Bon Ami, or Ajax may be used. These may be used in conjunction with a nylon pad or soft bristle brush. Steel wool is not recommended.

For heavier cleaning requirements or commercial applications, products manufactured by Aqua Mix, Hillyard Industries, Walter G. Legge Co., or CeramaSeal may be used. These products are available through your local ceramic tile dealer. In all cases please ensure you follow the manufacturer's instructions. We also strongly recommend that all cleaners be tested first in a small, inconspicuous area before general use on the floor.



Warranty

Technical Data

WARRANTY

year limited Commercial and or Residential warranty

- · ASI warranty that its products meet or exceed the performance specification outlined in ANSI A137. Our porcelain is first quality product that is provided through the production facility
- Approved use for Commercial and residential projects and installations
 Our products should be examined prior to installation
- · Missuses of the product by the purchaser including; negligence, physical or chemical abuse is not covered thy this warranty
- · Installation defects are not covered by this warranty
- · Visual defect or non-conformities apparent prior to installation are not covered thy this warranty
- · This warranty will cover our products purchased by a residential or commercial user for up to 12 months from the date material is shipped
- · Certain factors on a jobsite are beyond our control; installation, structural design & emironmental conditions
- In the event of latent defects caused by improper manufacture, defined as tiles not conforming to industry standards, ASI will either refund the price for the defective pieces or provide replacement material of the same kind. ASI will not be responsible for any costs of labor installation and/or removal of our products
- ASI does not warrant that our glazed and unglazed porcelain will not scratch, chip or show signs of wear.

ASI makes no implied warranties of merchantability or fitness for a particular purpose or any other warranties expressed, or implied warranties implied, except as otherwise set forth above. Under no circumstances shall ASI be liable for incidental or consequentia losses, damages, or expenses, directly or indirectly arising from the sale, handling or use of our products. No consequential (including loss of profits) or incidental damages are recoverable

TECHNICAL DATA

| | CHEMICAL DROBEDTIES | STANDARD | | | |
|----|---|----------------------|--|--|---|
| | CHEMICAL PROPERTIES | OF TEST | REQUIRED VALUE | | AVERAGE VALUE |
| ٩ | Szec | 150 105652 | Length and width Thickness Linerby Wedging Warpage | a 0.5% max a 5% max a 0.5% max a 0.5% max a 0.5% max a 0.5% max | * 0.3% * 5% * 0.3% * 0.3% * 0.2% |
| ø | Water absorbition | 150 10545.3 | e 0,5% | | 0,02% + 0,05% sup. prelucidata/naturale-0,05% + 0,05% sup. lucidata |
| 6 | Emaking modulus | 150 10545-4 | s 25 N/Inmr | | 48 N/mmr |
| ۳ | | | Thickness + 7,5mm = s 700 N | | Thickness Conforms* |
| 0 | Deep abrasion resistance | 150 10545.6 | Volume e 175 mm* | | 560 mm* |
| ۲ | Coefficient of linear thermal- expansion | 150 10545.8 | e 9x80+°C+ | | 6,5x80+10- |
| ٢ | Resistance to thermal shocks | 150 10545.9 | Tecting method available | | Resistant |
| 0 | First resistance | 150 10545 12 | Must not produce not alteration to surface | ceable | Canforms |
| ٩ | Chemical resistance | 150 10565 13 | Resistance to househ swimming pool calts: I concentrations of acid high concentrations of | Resistance to low s and alkalis. Resistance to | Castifications for single items available on |
| \$ | Stain resistance | 150 10565 56 | Terding method posible | | Cassifications for single items available on |
| ٢ | Calor resistance to light | DIN SID94 | Must not produce noticeable colour variation | | Cantorns |
| 0 | Silp resistance | DIN SIGO | Text method available | | 89 |
| 0 | Friction coefficient (dipperinent) | RCRA REP CEC 6/R1 | Satisfactory friction 0,60 c µ c 0,76 | | s 0,60 Matte surface |
| 0 | Reaction to fire | 94/603/CE | Text absent | | A1 - A5 |
| | | | | | |

archsvstems.com







Even Hotel Times Square South, New York, NY Glen and Company Featuring Aegean Porcelain - FLSRI635





Installation Photo Featuring AmeriCarrara Porcelain -Sand - FLSRI961



Installation Photo Featuring Ecolinea Porcelain - FLSRI745









Installation Photo

Featuring Imperial Wood Grain Porcelain – Cappuccino – Honed – FLSRI861

Installation Photo Featuring Ecolinea Porcelain - FLSRI702





Installation Photo Featuring Crescent Porcelain – Lunar – Honed – FLSRB047





Installation Photo Featuring Quarried Stone Porcelain – Broad Creek – Honed – FLSRB192

Theory Shop-in-Shop, Bloomingdales, New York, NY Theory In-House Design Featuring FORM Concrete Porcelain – FLSRI710





Installation Photo

Featuring Imperial Wood Grain Porcelain – Cappuccino – Honed – FLSRI861





Installation Photo

Featuring Porcelain Slabs – Gold – Polished – FLSRB289





Birchbox, New York, NY design 3 Featuring Mediterranean Wood Grain Porcelain – Sardinia – FLSRI651

DISCOVER THE ASI ADVANTAGE®



Offering a comprehensive range of award-winning innovative and distinctive interior finishes



24/7 access to products that transcend trends on **archsystems.com**



Explore the Power of Materials[®] in the ASI Showroom featuring the Next New Thing[®] from every collection and full-scale, real world installations



Let's customize and develop! Send an image that you love, and an ASI material expert will work with you to meet your design intent and budget criteria



Project Management Material take offs / On-site support



Passionate about realizing your design vision since 1990



National Account program pricing



Value engineering and solution based products

Committed to Green

Sustainable Products Offered

ASI | Architectural Systems was a pioneer in offering sustainable products, and we remain dedicated to sourcing well-designed, eco-friendly materials. Look for the green globe icon!



archsystems.com

sales@archsystems.com | T: 212.206.1730

(f) (i) (ii) (iii) (iii)

